

Figure 1. Image from VISIT Milwaukee.

Milwaukee County Climate Action 2050 Plan

Vulnerability Assessment

DISCUSSION DRAFT – MAY 24, 2023

Achieving Net Zero Carbon Emissions While Advancing Equity, Justice, and Community Resilience

June 2023



Climate Change Impacts and Hazards in Milwaukee County

Executive Summary

High Priority Vulnerabilities:

1. ...
2. ...

Table of Contents

.....	1
Climate Change Impacts and Hazards in Milwaukee County.....	2
Executive Summary.....	2
Glossary.....	3
Introduction.....	4
Methods.....	4
Climate Change Impacts in Milwaukee County.....	6
Temperature & Heat Wave Impacts	6
Average and Seasonal Temperature Projections.....	6
Extreme Temperatures and Heat Waves Projections	15
Precipitation Impacts	21
Storms and Extreme Weather Impacts.....	30
Interconnected Systems Impacts.....	39
High Priority Vulnerabilities.....	41
Risk-Based Prioritization Framework.....	41
Vulnerability #1: Heat Waves and Human Health	43
Vulnerability #2: Flooding in Menomonee River, Milwaukee River, Beaver Creek, and Lincoln Creek Corridors..	45
Vulnerability #3: Acute Air Quality Hazards.....	50
Vulnerability #4: Power Outages & Cascading System Failures	51
Vulnerability #5: Economic & Social Impacts of Hotter Summers	51
References	52
Appendix A: Climate Hazard Projections.....	55
Appendix B: SVI and Temperature Projections	59

Glossary

100-Year Flood: In the context of Federal Emergency Management Agency (FEMA) flood insurance rate maps (FIRMs), the 100-year flood is a theoretical flood stage with a 1-in-100 chance of occurring each year (also called a 1% flood). Because FEMA FIRMs are the most ubiquitous flood hazard mapping product available, many planning decisions are made around the regulatory 100-year floodplain. However, the 100-year floodplain is both derived from historical data and thus does not account for changes to future precipitation under climate change. Because floodplains are modeled, the hazard area contains significant uncertainty.

500-Year Flood: The 500-year flood (also called a 0.2% flood) is a flood with a probabilistic return period of 500 years, or a 0.2% annual chance of occurring. The 500-year floodplain is the area expected to be inundated in a 500-year flood. As with the 100-year floodplain, the 500-year floodplain is derived from historical data and does not reflect projected changes to future precipitation from climate change. For resilience planning purposes, locating a facility or asset outside of the 500-year floodplain is one approach to mitigating flood hazard when detailed flood hazard analyses are unavailable.

Climate Change: The term “climate” refers to the general weather conditions in an area over a long period of time. Typically, climate averages are measured over a 30-year period. Climate change refers to significant changes in the typical or average weather of a region over several decades or longer.

Coastal Flooding: Flooding along the shoreline of an ocean, bay, lake, sea, or other body of water that does not flow.

Erosion: The process during which the earth’s surface is gradually worn down, removed, and carried away by natural forces such as rain and wind.

Extreme Precipitation: Precipitation whose intensity exceeds a threshold typical for a region can be considered to be extreme precipitation. In this assessment, extreme precipitation is evaluated by comparing historical precipitation extremes to projected precipitation extremes for 100-year and 500-year precipitation events.

Extreme Weather Event: Weather events that are unexpected or unusual for a place or season. Extreme weather can refer to weather events (including temperature or precipitation extremes, storms, winds, drought, floods, or fires) that cause significant damage to human or natural systems. These can also be defined as weather events that are statistically unlikely to occur when compared to historical climate for a place and time of year.

Freeze-thaw Cycle: A freeze-thaw cycle (FTC) occurs when the temperature decreases to a point that it freezes water (32 °F) then increases, causing the water to thaw. Since water expands when it freezes, the expansion caused by repeated freeze-thaw cycles can result in significant damage to infrastructure.

Heat Wave: For the purposes of this assessment, heat waves are defined by the hottest consecutive seven-day period per year, per simulation, as defined by the daily high temperature.

Nuisance Flooding: Flooding of low-lying areas caused by high tide events. Nuisance flooding is also referred to as “sunny day flooding” because it does not necessarily occur with rain.

Riparian Flooding: Flooding that occurs along the edges of rivers, streams, and other moving water bodies.

Urban Heat Island: An urban area that experiences significantly higher temperatures than surrounding environments with more vegetation. This occurs when natural surfaces are replaced with unshaded roads and buildings which reflect heat instead of absorbing it.

Introduction

Two pages, description of project context, scope, previous steps, and next steps.

Methods

Very brief 1-2 page description of sources, methods, and assumptions. Describes time periods and scenario assumptions. Describes GCM projections and downscaled data approach.

Community Survey

In January 2023, Milwaukee County published and distributed an online survey on climate change and extreme weather impacts in Milwaukee County. The survey was conducted to understand residents' experiences with extreme weather events and their concerns about the impacts of climate change on the county's infrastructure, economy, and public health.

The survey received a substantial number of responses, with over 755 people participating. The respondents represented a good age distribution and near-equal gender representation. However, it's important to note that the survey respondents are not fully representative of Milwaukee County's population. The survey respondents predominantly identified as White/Caucasian (90%) and from zip codes with higher average levels of income and educational attainment. Geographically, though the survey received responses from all but one zip code, most respondents lived in zip codes closer to the lakefront. The overrepresentation of respondents from these areas and underrepresentation of respondents from communities which experience systemic racism and classism is crucial to bear in mind; nonetheless, the survey responses provide some valuable insights into how many residents perceive climate change and the impacts of extreme weather events on their lives and communities. Throughout this assessment, survey results are discussed in tandem with supplemental research to ensure a robust analysis of climate hazards posed to Milwaukee County residents.

Social Vulnerability Index

Milwaukee County is committed to promoting environmental equity and justice by ensuring that all residents have access to the resources they need to thrive in their communities. However, many communities, especially those consisting of low-income residents and people of color, may face systemic challenges in accessing resources that are necessary for a high quality of life. These




Figure 2. SVI composite map, displaying Milwaukee County census tracts with compounding social vulnerabilities.

challenges can manifest in many forms, including limited access to healthcare, transit, healthy food, and green spaces, which can negatively impact health outcomes and exacerbate vulnerability to climate hazards.

To ensure that the needs of all residents are considered equitably when assessing climate hazards, Milwaukee County has developed a social vulnerability index (SVI), shown in **Figure 2**. The index is based on eight variables that compound vulnerability, including age, disability, education, language, people whose rent is over 35% of their income, poverty, race/ethnicity, and unemployment.

The SVI utilizes data from the United States Census Bureau 2021 American Community Survey to identify percentile thresholds for each variable of vulnerability. Based on these thresholds, census tracts were assigned a composite score that indicates the level of vulnerability. For the purpose of this vulnerability assessment, census tracts with a score of three or higher may be considered vulnerable. By utilizing the SVI, Milwaukee County is able to identify regions and neighborhoods that are in need of additional support to adapt to the impacts of climate change. This information is crucial in contextualizing the projected impacts of climate change and ensuring that vulnerable populations receive the necessary support to build resilience and thrive.

Climate Change Impacts in Milwaukee County

This assessment includes climate hazard projections under low-emissions constraints (RCP4.5) and high-emissions constraints (RCP8.5) in the early, mid, and late 21st century (approximately 2020, 2050, and 2085, respectively). Climate change impacts include temperature and heatwave impacts, precipitation impacts, flooding & erosional impacts, and impacts related to interconnected systems. General trends across Milwaukee County see temperature increases into the end of the century, with the higher temperatures tending to be concentrated more on the western side of the County and cooler temperatures near the lakeshore. Though overall trends in precipitation show wetter winters and dryer summers into 2085, the most significant impact of changing patterns in precipitation may be effects associated with flooding and erosion. This assessment delves thoroughly into each climate change impact to assess its relationship to Milwaukee County's infrastructure and communities such that the County may take action to improve resilience and mitigate harmful climate hazards.

Temperature & Heat Wave Impacts




Figure 3. Historical and projected future average annual daily high temperatures across Milwaukee County.

Average and Seasonal Temperature Projections

On average, temperatures in Milwaukee County are expected to increase by about 10°F by the end of this century, as compared to the beginning. Without taking heat islands into account, the county typically sees a small temperature gradient with higher temperatures farther inland, and lower temperatures towards the lake shore. This pattern holds in projected future periods with the county's western border seeing higher temperatures than the lake shore in all periods and scenarios. **Figure 3** shows the historical and projected average annual temperatures across Milwaukee County through 2085. Historically, the county's average temperature has ranged from 57° - 59°F from lake shore to West Allis. In recent years, this range has increased slightly to 58° - 61°F. But by midcentury, projected increases could reach 61° - 63°F, and 67° - 69°F by the end of the century in a non-constrained emissions scenario. If

emissions are constrained, similar increases of 62° - 64°F by midcentury can be expected, stabilizing to 62° – 65° by end of century.

Infrastructure Vulnerabilities to Increasing Average Temperatures

Projections of annual and seasonal daily average temperatures depend on scenario but indicate a trend towards a hotter future. While a matter of a few degrees may not appear impressive, average temperatures in Milwaukee County are on track to match the weather of a city like St. Louis, Missouri – and infrastructure and ecosystems must adapt.¹ The implications of hotter summers and warmer winters for Milwaukee County's residents and infrastructure can be significant. Elevated temperatures can lead to significant changes in the operation, maintenance, and ownership costs of infrastructure systems. Subtle but sustained changes in temperature also affect ecosystems, with knock-on effects for the populations and infrastructure systems that depend on them.

Accelerated Wear & Tear: Elevated temperatures accelerate the wear and tear on moving parts like wheels, bearings, and belts; and on load-bearing materials like concrete and asphalt. However, some of this physical damage may be offset by reduced exposure to severe winter temperatures and winter-related antagonists like salt and plowing during the cold season.

Energy Infrastructure: Increasing temperatures pose challenges for energy infrastructure, particularly power generation and transmission systems.² Higher ambient temperatures can reduce the efficiency of thermal power plants, such as natural gas and coal-fired plants, leading to decreased power output. Buildings, vehicles, and any space that accommodates people will face greater demands for cooling energy, including spaces/vehicles which may not have air conditioning. Additionally, higher temperatures can affect the transmission and distribution of electricity, leading to equipment failures and reliability issues.

Ecosystem Shift: Climate change may also impair waste/water treatment and handling, as surface water bodies see higher temperatures and associated growth of fouling algae or dangerous pathogens, and/or eutrophication. These challenges could impose significant costs on the County's water treatment facilities as added treatment capacity becomes necessary.³ Green infrastructure like urban tree canopy may face challenges from new pests or pathogens, or accelerated tree death during hot weather.

Transportation Infrastructure: Rising average temperatures can lead to pavement degradation, increased maintenance costs, and reduced service life of transportation infrastructure. Heat-related expansion of rail tracks may cause misalignments or derailments.

Water Infrastructure: Water-related infrastructure, including dams, reservoirs, and water supply systems, is susceptible to the impacts of increasing temperatures.⁴ Higher temperatures can exacerbate water scarcity by

¹ U.S. National Weather Service (NWS). 2023. "Climate Report: The St. Louis Climate Summary for the Year of 2022." <https://forecast.weather.gov/product.php?site=LSX&product=CLA&issuedby=STL>.

² Clarke, L., Wei, Y.-M., Navarro, A. de la V., Garg, A., Hahmann, A. N., Khennas, S., Azevedo, I. M. L., Löschel, A., Singh, A. K., Steg, L., Strbac, G., Wada, K., Ameli, H., de La Beaumelle, N. A., Bistline, J., Byers, E., Calvin, K., Chawla, K., Cui, Y. (Ryna), ... Veldstra, J. (2022). Energy Systems. *Climate Change 2022: Mitigation of Climate Change. Working Group III Contribution to the IPCC Sixth Assessment Report*, 613–746. <https://doi.org/10.1017/9781009157926.008>

³ U.S. Environmental Protection Agency (EPA). 2022. "Climate Change Adaptation Resource Center: Climate Impacts on Water Utilities." August 15. <https://www.epa.gov/arc-x/climate-impacts-water-utilities>.

⁴ *Water—Climate Action Pathway | UNFCCC*. (2021). <https://unfccc.int/climate-action/marrakech-partnership/reporting-tracking/pathways/water-climate-action-pathway#Climate-Action-Pathway-2021>

accelerating evaporation rates and reducing water availability in reservoirs and rivers. It can also affect the performance of water treatment plants by altering water quality and increasing risk of algal blooms.

Table 1. Infrastructure vulnerabilities associated with increasing average annual and seasonal temperatures.

Increasing Average & Summer Temperatures		
Transportation	Pedestrian & Human-powered transportation	<ul style="list-style-type: none"> • Greater discomfort on hot days; reduced share of non-motorized transportation
	Streetscape, Parks, & Trails	<ul style="list-style-type: none"> • Tree death & vegetation loss, intensifying UHI and shade loss • Increased management costs for green infrastructure
	Transit	<ul style="list-style-type: none"> • Reduced ridership, especially where bus stops are not sheltered/shaded • Accelerated wear on rolling stock during hot season
	Roads & Bridges	<ul style="list-style-type: none"> • Changing binder regimes and accelerated damage
	Rails	<ul style="list-style-type: none"> • Rail warping in extreme temperatures (i.e., “sun-kinking”)
	Airports	<ul style="list-style-type: none"> • Increased cooling costs in indoor spaces • Increased asphalt damage on runways and tarmac
Energy	Electricity	<ul style="list-style-type: none"> • Increased demand for cooling energy; higher average and peak demand; increased risk of demand-related disruptions • Costs associated with capacity expansion • Increased risk of transmission line overheating and curtailment • Increased risk of electricity generator curtailments due to temperature restrictions
Water	Water supply systems ⁵	<ul style="list-style-type: none"> • Accelerated water-borne pathogen growth; increased risk of water-borne diseases • Algal blooms; water quality impairment • Extended mosquito season
	Wastewater treatment & sewers	<ul style="list-style-type: none"> • Reduced treatment efficiency resulting in higher levels of pollutants in the effluent • Higher demand for volume of wastewater in need of treatment on hot days
Communications	Internet, Phone, wired services	<ul style="list-style-type: none"> • Increased demand for equipment cooling • Signal loss and slower speeds due to heat-expanded fiber optic cables
	Cellular & wireless	<ul style="list-style-type: none"> • Increased demand for equipment cooling • Overheated equipment malfunctions, causing equipment failures and service disruptions

⁵ US EPA, O. (2016, May 10). Climate Impacts on Water Utilities [Overviews and Factsheets]. <https://www.epa.gov/arc-x/climate-impacts-water-utilities>




Figure 4. SVI composite score overlaid with future projected average annual daily high temperatures across Milwaukee County.

Social Vulnerabilities to Increasing Average Temperatures

As the effects of climate change become increasingly pronounced, Milwaukee County is projected to see significant changes in its temperature patterns. According to climate models, temperatures are expected to rise by an average of 10°F by the end of the century, as compared to the beginning. This change in temperature will have a range of impacts on the County's social fabric. While the County has historically seen a small temperature gradient with higher temperatures inland and lower temperatures towards the lake shore, projections suggest that the western border of the County will see higher temperatures than the lake shore in all future scenarios.

When the SVI is overlaid with annual average daily temperature projections, we can determine which regions of Milwaukee County face intensified exposure to climate change impacts. High-emissions end-of-century scenarios project nearly every census tract identified as vulnerable to hit average daily temperatures of 69.21°F. Increasing daily temperatures impact diverse communities in diverse ways; for example, communities whose infrastructure has experienced historic underinvestment might feel heat impacts more substantially than neighborhoods which have access to high-quality energy efficient homes, or residents living with a disability may find their mobility, and by extension livelihood, affected by drastic temperature increases. Neighborhoods facing linguistic barriers may struggle to access crucial emergency, public health, and safety resources during extreme heat waves. Many of Milwaukee County residents experience a variegated combination of these vulnerability factors, with the SVI indicating these effects intersect most densely near central and northwest Milwaukee County. Models projecting low-emissions scenarios, on the other hand, indicate temperature increases peaking at approximately 67.57°F, with the most severe increases happening largely outside of vulnerable communities. As the temperature continues to increase, Milwaukee residents may face a variety of social vulnerabilities related to:

Community Health: Community health is a critical aspect of public well-being that encompasses a range of factors, including access to healthcare, air and water quality, and exposure to environmental hazards.^{6 7} In particular, vulnerable populations may experience disproportionate impacts due to a lack of resources and increased exposure to environmental hazards, such as:

Extreme Heat and Heat-Related Illnesses: Rising temperatures can lead to more frequent and severe heatwaves, which can increase the risk of heat-related illnesses such as heat exhaustion and heatstroke. This risk is particularly high for vulnerable populations, such as the elderly, people with pre-existing medical conditions, and those living in urban areas with few green spaces. Additionally, extreme heat can exacerbate chronic health conditions such as asthma and heart disease, leading to hospitalizations and premature deaths.

Poor Air Quality: Rising temperatures can worsen air quality, particularly in urban areas with high levels of traffic and industrial activity. Hotter temperatures can accelerate the formation of ground-level ozone, a harmful air pollutant that can trigger respiratory problems such as asthma and increase the risk of heart disease. According to the American Lung Association's State of the Air report, Milwaukee County received a failing grade for ozone pollution in 2020.⁸ Projections from the National Climate Assessment also indicate that the Midwest is likely to see a large number of premature deaths from intensified ground-level ozone, with the region comprising half of all ozone-related premature deaths in both 2050 and 2090 projections (Figure 5).⁹ Low-income communities and communities of color are often disproportionately impacted by poor air quality, due to factors like residential segregation and the inequitable placement of polluting industries.




Figure 5. Ground-level ozone is a dangerous air pollutant created by vehicles, power plants, boilers, and other sources of combustion emissions. Ozone concentrations are increased during warm, sunny weather, so projected changes to temperature and precipitation are expected to enhance this impact in the Midwest. Source: 4th National Climate Assessment, Ch. 21

⁶ Climate Effects on Health | CDC. (2022, May 3). <https://www.cdc.gov/climateandhealth/effects/default.htm>

⁷ USGCRP. (2016). The Impacts of Climate Change on Human Health in the United States: A Scientific Assessment (pp. 1–312). U.S. Global Change Research Program, Washington, DC. <https://health2016.globalchange.gov/executive-summary.html>

⁸ Milwaukee. (n.d.). Retrieved May 3, 2023, from <https://www.lung.org/research/sota/city-rankings/states/wisconsin/milwaukee>

⁹ US EPA, O. (2021, March 24). *Multi-Model Framework for Quantitative Sectoral Impacts Analysis*. [Reports and Assessments]. <https://www.epa.gov/cira/multi-model-framework-quantitative-sectoral-impacts-analysis>

Vector-borne Diseases: Rising temperatures can also increase the risk of vector-borne diseases such as West Nile virus and Lyme disease, which are transmitted by mosquitoes and ticks, respectively. Warmer temperatures can lengthen the breeding season of these disease-carrying insects, allowing them to reproduce more frequently and in larger numbers¹⁰. In addition, rising temperatures can shift the geographic range of these insects farther north, potentially increasing residents' risk of infection. As temperatures continue to rise, it is important to invest in mosquito and tick control measures and public health campaigns that can help prevent the spread of vector-borne diseases. Additionally, addressing the underlying factors that contribute to the spread of these diseases, such as habitat destruction and urbanization, can help reduce the risk of infection for all residents.

Housing Affordability: Rising temperatures can also have a significant impact on housing affordability. As demand for air conditioning and other cooling measures increases, housing units with air conditioning may become more valuable and command higher rents. This can be particularly problematic for low-income households, who may not be able to afford the increased costs associated with air conditioning. In addition, rising temperatures can also increase the cost of construction and maintenance for housing units, potentially leading to higher rents and home prices. As temperatures continue to rise, it is crucial to invest in affordable housing options that are energy-efficient and resilient to the impacts of climate change.

Displacement and Gentrification: Rising temperatures can also exacerbate existing housing disparities and lead to displacement and gentrification in vulnerable communities. As the demand for housing in cooler and more comfortable areas increases, vulnerable populations such as low-income households and communities of color may be forced to leave their neighborhoods due to rising costs and lack of affordable housing. According to a report by the National Low Income Housing Coalition, Milwaukee County already has a shortage of affordable and available rental homes, with only 27 affordable and available rental homes for every 100 extremely low-income renters.¹¹ As temperatures continue to rise, it is important to invest in affordable housing solutions that can protect vulnerable populations from displacement and gentrification. This can include measures such as rent control, community land trusts, and inclusionary zoning policies that require developers to provide affordable housing units.

Mobility & Access: As temperatures continue to rise, extreme heat events are expected to become more frequent and intense, which will have significant impacts on vulnerable populations in terms of community transportation and mobility. Public transit systems, such as buses and trains, may experience heat-related delays or malfunctions, which could disproportionately affect those who rely on these systems as their primary mode of transportation. This could cause disruptions in service and inconvenience for commuters, especially for those who need to access essential services like medical appointments, grocery stores, and pharmacies. Additionally, walking or biking as an alternative to public transportation may become less feasible due to extreme heat, particularly for vulnerable populations such as the elderly, young children, and those with disabilities. This could result in decreased mobility and access to resources for these groups, which could lead to further social isolation and health disparities.

¹⁰ Petersen, L. R., Holcomb, K., & Beard, C. B. (2022). Climate change and vector-borne disease in North America and Europe. <https://doi.org/10.25646/10393>

¹¹ Wisconsin. (n.d.). National Low Income Housing Coalition. Retrieved May 3, 2023, from <https://nlihc.org/housing-needs-by-state/wisconsin>

Impact Focus: Urban Heat Island Effect

“Urban Heat Islands,” or UHIs, occur in cities and dense urban areas when unshaded roads and buildings surfaces replace cooler natural surfaces. Natural surfaces contribute to the cooling of their environments in multiple ways: trees and plants provide shade while grass, soil, and water cool nearby air through evaporative cooling. By contrast, built surfaces (such as asphalt and concrete) absorb and retain heat during the day, then continue slowly emitting that heat over the course of the afternoon and evening. Thus, dense urban landscapes experience significantly higher temperatures (up to 15°F to 20°F) than surrounding environments with more vegetation (NIHHIS, EPA, Gregory, J. & Azarijafari).

The primary impact of UHIs is intensifying heat waves, especially in more dense urban areas. Excessive heat can lead to heat exhaustion, heat stroke, heart and lung stressors, asthma, and geriatric health impacts. The urban surroundings which create UHIs also trap pollution, which adds a layer of adverse health impacts for residents. Neighborhoods whose residents experience systemic socioeconomic inequities may be more susceptible to heatwaves, UHIs, and higher rates of pollution. This is often due to inequitable resource allocation across a region, with a disproportionate lack of funding in solutions such as green spaces, heat shelters, and other public cooling systems. Low-income communities are likely to feel additional strain during heat waves through insufficient or unaffordable air conditioning systems.

Milwaukee is already experiencing the impacts of urban heat islands. As part of an ongoing effort by NOAA to record heat waves in urban areas around the U.S., the Wisconsin Department of Natural Resources recently studied temperature differences across Milwaukee in the summertime. During two hot days in July 2022, forty-three participants drove vehicles with car-mounted heat sensors around predetermined routes to capture heat and humidity readings in different neighborhoods. The mapping campaign found that hotter parts of the city could be up to 10 degrees warmer in the evenings. The more densely urban the neighborhood, the hotter the temperature (WI DNR).

The impacts of hotter temperatures in urban areas are exacerbated by the fact that Milwaukee, a historically cooler area, is a region without widespread air conditioning or other methods of coping with hotter temperatures. This is especially the case for older buildings and homes, public housing, and rental homes, which disproportionately affects vulnerable populations; vulnerable residents are more likely to live in densely urban areas with older buildings, lower ownership rates (restricting the ability to make changes to your building), fewer green spaces, and less access to cooling centers and adequate healthcare – creating the perfect storm for more severe health impacts among these populations.

Increased Demand for Emergency Medical Services (EMS):

As temperatures rise, the incidence of heat-related illnesses and conditions such as dehydration, heat exhaustion, and heatstroke are likely to increase, particularly among vulnerable populations such as the elderly and those with preexisting medical conditions.¹² This could lead to a surge in demand for emergency medical services, straining resources and potentially causing delays in response times.

Increase in Crime: Rising temperatures may increase the incidence of crime and violence in Milwaukee, as research suggests that higher temperatures are associated with higher rates of certain types of crime, including assault and domestic violence.¹³

Parks: The increased heat and extreme weather events caused by climate change can lead to damage and destruction of parks resources, making them less accessible and enjoyable for residents. For example, extreme heat and drought conditions can damage

¹² Sorensen, C. J., et al. (2020). Clinical Implications of Climate Change on US Emergency Medicine: Challenges and Opportunities. *Annals of Emergency Medicine*, 76(2), 168–178. <https://doi.org/10.1016/j.annemergmed.2020.03.010>

¹³ Lynch, M. J., Stretesky, P. B., Long, M. A., & Barrett, K. L. (2022). The Climate Change-Temperature-Crime Hypothesis: Evidence from a Sample of 15 Large US Cities, 2002 to 2015. *International Journal of Offender Therapy and Comparative Criminology*, 66(4), 430–450. <https://doi.org/10.1177/0306624X20969934>

parkland and green spaces, leading to decreased access to outdoor spaces for vulnerable populations like children, the elderly, and those with disabilities. This can result in decreased physical activity and social isolation, which can have negative impacts on health and well-being.¹⁴

Cultural Resources: Rising temperatures can discourage people from visiting outdoor cultural events and festivals, leading to decreased attendance and potential economic impacts for local businesses. Vulnerable populations may also face barriers to accessing cultural resources due to transportation challenges, such as unreliable public transportation or lack of personal vehicles. This can result in decreased access to cultural events, recreational facilities, and parks, further exacerbating social inequities.¹⁵

Freeze-Thaw Cycles

The diurnal cycle of above-freezing days and freezing nights is called a freeze-thaw cycle (FTC) and the number of FTCs experienced in a region per year can have significant impacts on the costs of infrastructure maintenance. In Milwaukee County, the number of annual FTCs are projected to fall by 13% – 24% by 2050 and 21% - 45% by 2085. These steep reductions in freezing nights will likely ease maintenance costs for built infrastructure systems, especially transportation systems. In almost all infrastructure sectors, falling FTCs reduces costs. Therefore, impacts are not explored in depth. On the other hand, some concerns about falling FTCs may be impacts to local ecology, including species of trees and plants that require high numbers of annual FTCs for healthy growth. For example, Sugar Maple trees require FTCs to be productive, increasing sugar content and flow with greater FTCs.¹⁶

Table 2. Projected changes to average annual freeze-thaw cycles for select sites in Milwaukee County. Percent difference as compared to historical period (1985-2014).

Location	2020		2050		2085	
	RCP4.5	RCP8.5	RCP4.5	RCP8.5	RCP4.5	RCP8.5
Bayside	-4.9%	-4.9%	-14.8%	-19.8%	-23.5%	-43.2%
Greenfield	-5.1%	-6.3%	-15.2%	-20.3%	-24.1%	-41.8%
SE Oak Creek	-4.0%	-5.3%	-14.7%	-20.0%	-24.0%	-42.7%
Milwaukee (Mitchell Park)	-5.1%	-7.7%	-17.9%	-24.4%	-26.9%	-44.9%
Milwaukee (Timmerman)	-4.8%	-4.8%	-13.1%	-17.9%	-21.4%	-40.5%

¹⁴ Climate_health_equity.pdf. (n.d.). Retrieved May 3, 2023, from https://www.apha.org/-/media/files/pdf/topics/climate/climate_health_equity.ashx

¹⁵ Sesana, E., Gagnon, A. S., Ciantelli, C., Cassar, J., & Hughes, J. J. (2021). Climate change impacts on cultural heritage: A literature review. WIREs Climate Change, 12(4), e710. <https://doi.org/10.1002/wcc.710>

¹⁶ Duchesne, L., & Houle, D. (2014). Interannual and spatial variability of maple syrup yield as related to climatic factors. *PeerJ*, 2, e428. <https://doi.org/10.7717/peerj.428>

Table 3. Social vulnerabilities associated with increasing average annual and seasonal temperatures.

Social Impacts	Increasing Average & Summer Temperatures
Health	<ul style="list-style-type: none"> • Higher concentrations of ozone and particulate matter (PM), which can be damaging to inhale • Negative impacts on those managing chronic illness • Lengthened duration of the pollen season, worsening respiratory health
Mobility & Access	<ul style="list-style-type: none"> • Roads may warp or buckle, rail tracks may expand/contract, restricting access to essential services
Parks, Recreation, Arts, Cultural Resources	<ul style="list-style-type: none"> • Increased pressure on parks and outdoor venues with shade structures as demand for cooling and shade intensifies • Changes in animal behavior, such as increased aggression, lethargy, or even heatstroke, can impact the safety of both animals and visitors at the zoo • Reduced attendance for parks and outdoor recreation facilities
Housing, Education, Food Security	<ul style="list-style-type: none"> • Old housing stock may expose residents to unhealthy conditions due to insufficient cooling • Increased energy costs for cooling buildings could put a strain on household budgets, particularly for low-income families
Public Safety	<ul style="list-style-type: none"> • Hotter temperatures associated with increased risk of crime, violent behaviors • Hotter temperatures associated with increase in vehicle crashes; warmer winters may offset
Local Economy	<ul style="list-style-type: none"> • Lost labor due to elevated temperatures making outdoor labor more strenuous • Reduced tourism in outdoor tourism sectors

Extreme Temperatures and Heat Waves Projections

According to projections in **Figure 6**, heat wave temperatures in Milwaukee County are expected to increase significantly in the coming decades. Historically, the county has experienced average temperatures of 90-94°F during heatwaves. In recent years, this range has increased slightly to 90-96°F. By midcentury, projected temperature increases could result in average heatwave temperatures of 92-98°F in a constrained emissions scenario, or 94-100°F in a non-constrained emissions scenario. By the end of the century, heatwaves could become even more intense, with projected average temperatures of 94-100°F in a constrained emissions scenario, or 98-102°F in a non-constrained emissions scenario. Similar to annual average temperature projections, heat wave temperatures in Milwaukee County generally exhibit a slight temperature variation with elevated temperatures in the inland areas and relatively lower temperatures towards the lake shore. This temperature trend is expected to continue in the future, with the western border of the county experiencing warmer temperatures than the lake shore in all predicted periods and situations. These increases in heatwave temperatures will have significant impacts on human health, as well as on the local economy and infrastructure.




Figure 6. Historical and projected future average heat wave temperatures across Milwaukee County.

Infrastructure Vulnerabilities to Extreme Heat & Heat Waves

Extreme temperatures are primarily a hazard for human health, with the most important infrastructure vulnerabilities related to those that increase the risk of human health impacts due to system disruptions. While extreme temperatures impair the functioning of many built systems, the greatest threats are associated with the combination of increased electricity demand for cooling combined with impairments to both the ability of generators to produce electricity and the power grid to reliably deliver it. A power outage during a severe heat wave could produce a 'perfect storm' of dangerous conditions, combining unhealthy heat exposure with vulnerable populations living in under-insulated buildings.

Heat Waves and Electricity Supply

Wisconsin's peak power demand occurs during the afternoon in summer months – this is similar to many other regions in the country where the greatest electrical loads occur during periods where demand for cooling energy is the greatest.¹⁷ Climate change-driven increases in temperatures are expected to strain power grids across the country, and Milwaukee County's infrastructure is likely to face similar challenges. In addition to increased demand, hot temperatures can strain grid infrastructure: transmission lines stretch as they operate closer to their peak capacity, which increases the risk that a high-voltage line could contact a nearby tree or structure, shutting down the line; power transformers that are the backbone of substations must be shut down if they overheat, or risk rapid and expensive damage; and thermoelectric power plants can face physical or environmental restrictions on access to cooling water as water surface temperatures increase. When these effects are combined, a heatwave that pushes the grid to its breaking point could result in a rapid breakdown in power service, exposing large populations to severe heat stress without access to air conditioning.

Building Stock and Green Infrastructure Affect Exposure to Heat

During a heat wave, most people adapt through the use of home air conditioning. However, due to Milwaukee's historically mild summer season, the region has many buildings built before the widespread adoption of air conditioning. This is especially true among the County's most vulnerable residents, including residents of older buildings, as well as lower-income and socially isolated communities. Additionally, the type and age of a residential building can affect the severity of heat exposure impacts, with older, poorly insulated buildings exposing their residents to much greater temperature rises than new buildings with greater insulation and tighter building envelopes. Milwaukee County has an above-average share of older buildings, with the median structure built in 1956, compared to 1974 for Wisconsin, and 1979 for the United States.¹⁸

Another facet of infrastructure systems that can affect the vulnerability of communities to extreme heat is green infrastructure – including parks, urban trees, and green spaces – that can mitigate heat waves through shading and convective cooling.¹⁹

Additional infrastructure vulnerabilities to extreme heat are associated with accelerated damage to physical infrastructure (e.g., softening asphalt binders, increased wear in moving parts, accelerated degradation of transformer insulation, batteries, etc.) and high water temperatures/water shortfalls. **Table 4** identifies the infrastructure system vulnerabilities associated with extreme temperatures and heat waves.

¹⁷ Wisconsin Public Service Commission (PSC). (2021). *Wisconsin Peak Period Analysis*.
http://archive.focusonenergy.com/sites/default/files/inline-files/Potential_Study-Research-Peak_Period.pdf.

¹⁸ DP04: SELECTED HOUSING CHARACTERISTICS - Census Bureau Table. (n.d.). Retrieved May 24, 2023, from
https://data.census.gov/table?q=040XX00US55_050XX00US55079&tid=ACSDP5Y2021.DP04

¹⁹ NCA4 Ch. 2

Table 4. Infrastructure impacts associated with extreme temperatures and heat waves.

Extreme Temperatures & Heat Waves		
Transportation ²⁰	Pedestrian & Human-powered transportation	<ul style="list-style-type: none"> • Accelerated road/trail surface damage
	Streetscape, Parks, & Trails	<ul style="list-style-type: none"> • Tree death & vegetation loss, intensifying UHI and shade loss • Increased management costs for green infrastructure
	Transit	<ul style="list-style-type: none"> • Increased wear on heat-sensitive components • Risk of heat-related breakdowns
	Rails	<ul style="list-style-type: none"> • Increased metal fatigue and accelerated wear and tear
	Airports	<ul style="list-style-type: none"> • Softened asphalt surfaces, damaging planes and creating safety hazards
Energy ^{21,22}	Electricity	<ul style="list-style-type: none"> • Acute risk of power disruptions due to coincident increases in demand and threats to supply • Increased peak energy demand, especially relating to energy for cooling and water supply • Threats to power electronics and transformers which can be damaged or fail due to extreme heat; costly damage with long repair times • Increased risk of transmission line overheating and curtailment • Increased risk of electricity generator curtailments due to temperature restrictions
Water ²³	Water supply systems	<ul style="list-style-type: none"> • Increased risk of water availability and draught
	Wastewater treatment & sewers	<ul style="list-style-type: none"> • Higher temperatures can cause water systems to be overwhelmed, leading to backups and overflows that can contaminate local water sources
Communications ²⁴	Internet, Phone, wired services	<ul style="list-style-type: none"> • Extreme temperatures can cause damage to fiber optic cables • Increased outages disrupt wired services relying on electricity
	Cellular & wireless	<ul style="list-style-type: none"> • High temperatures can cause batteries to fail or degrade faster, leading to reduced battery life for mobile devices • Extreme temperatures can cause service disruptions or reduced network performance due to equipment failures or power outages

²⁰ Boosting Pavement Resilience | FHWA. (n.d.). Retrieved May 3, 2023, from <https://highways.dot.gov/public-roads/autumn-2018/boosting-pavement-resilience>

²¹ Extreme Heat | CISA. (n.d.). Retrieved May 3, 2023, from <https://www.cisa.gov/topics/critical-infrastructure-security-and-resilience/extreme-weather-and-climate-change/extreme-heat>

²² Singh, D., & Rogers, C. (2022). Assessing the risk of temperature extremes across North America's energy grid regions and associated renewable energy potential. 2022, NH53A-06. <https://ui.adsabs.harvard.edu/abs/2022AGUFMNH53A.06S>

²³ Extreme Heat | CISA. (n.d.). Retrieved May 3, 2023, from <https://www.cisa.gov/topics/critical-infrastructure-security-and-resilience/extreme-weather-and-climate-change/extreme-heat>

²⁴ Extreme Heat | CISA. (n.d.). Retrieved May 3, 2023, from <https://www.cisa.gov/topics/critical-infrastructure-security-and-resilience/extreme-weather-and-climate-change/extreme-heat>

Social Vulnerabilities to Extreme Temperatures and Heat Waves

As a part of Climate Action 2050 Plan, Milwaukee County asked residents about their perspectives on climate vulnerabilities, including extreme temperatures. Community survey respondents display a significant lack of confidence in Milwaukee County's ability to protect its vulnerable populations in the face of extreme weather. As climate change continues to affect Milwaukee County, it is important to understand the ways in which extreme heat events can impact various aspects of daily life, especially for the vulnerable. For example, many community survey respondents shared experiences of their children's schools closing due to insufficient heating and cooling systems. From education to public health to parks and recreation, heatwaves and extreme temperatures can lead to a range of challenges and potential risks for local communities.

Extreme heat is a significant threat to human health, with both direct and indirect impacts on physical and mental well-being. Extreme heat hazards can cause acute increases in mortality and morbidity, and are particularly dangerous for sensitive populations, including those concentrated in vulnerable communities. Nationally, heat health is becoming a major focus of climate preparedness, and the threat of extreme heat events are not unique to Milwaukee County. Based on historical heat exposure deaths and projected changes to temperatures, an EPA analysis of 49 major urban areas in the United States found that by 2050, extreme heat events could lead to an additional 2,300 – 3,400 deaths per year, depending on emissions scenario. By 2090, the projections are even higher, with 9,300 additional deaths/year in a high emissions scenario.²⁵ Heat waves can become especially deadly when the right combination of extreme heat and humidity, cumulative exposure, deficient infrastructure, and vulnerable populations converge. The elderly and those with preexisting medical conditions are naturally more vulnerable to heat waves and extreme temperatures, however communities who have experienced historic structural and social underinvestment may face their own unique sets of challenges during extreme weather due to systemic inequities relating to the built environment, health and healthcare, and economic resource accessibility.

Mass-casualty heat waves are not just a projection for the distant future. While heat deaths occur in some limited numbers every year, many examples exist of heat waves that have led to thousands of deaths in the space of just few days or weeks. Prominent examples of such deadly heat waves include the 1987 Athens heat wave that killed

Deadly Chicago Heatwave

In the summer of 1995, Chicago saw a deadly heat wave that resulted in more than 700 deaths, with many of the victims being elderly or low-income individuals living in neighborhoods with limited access to air conditioning or transportation.¹ The city's emergency response system was overwhelmed, and hospitals struggled to keep up with the influx of patients suffering from heat exhaustion and dehydration. The heat also caused power outages and buckled roads, disrupting transportation and further exacerbating the crisis. The event highlighted the need for better emergency preparedness and response systems, as well as the importance of addressing heat-related risks for vulnerable populations.

²⁵ US EPA, O. (2021, March 24). *Multi-Model Framework for Quantitative Sectoral Impacts Analysis*: [Reports and Assessments]. <https://www.epa.gov/cira/multi-model-framework-quantitative-sectoral-impacts-analysis>

more than 1,000 residents,²⁶ the 1995 Chicago heat wave that killed more than 700,²⁷ and the 2003 European heat wave that led to at least 30,000 premature deaths, including more than 14,000 in France, especially in Paris.²⁸

Heatwave-induced Illness: Prolonged exposure to high temperatures can lead to a range of heat-related illnesses, such as heat exhaustion, heat stroke, dehydration, heat rash and cramps, and heat syncope. These illnesses can range in severity, with heat stroke being the most serious and potentially life-threatening. Vulnerable populations, such as those with little access to cooling systems, are at increased risk of experiencing heat-related illnesses.

Exacerbated Existing Health Conditions: Those with respiratory or cardiovascular diseases may experience worsened symptoms in hot and humid conditions. The air quality can also decrease during heatwaves, as stagnant air can trap pollutants close to the ground. Additionally, those who rely on medical devices that require electricity, such as ventilators or oxygen concentrators, may be at risk if power outages occur during heatwaves.

Mental Health: Heatwaves can have significant effects on behavioral and mental health. With high temperatures lasting for days or even weeks, people may become more irritable, anxious, or depressed. Disrupted sleep patterns can also occur, which can further exacerbate mental health issues. Communities with limited access to mental health resources may feel disproportionate effects of heatwaves on their wellbeing. Additionally, high temperatures can limit people's ability to engage in outdoor activities and socialize, which can also impact mental well-being.

Parks: Higher temperatures and increased humidity levels can make outdoor activities uncomfortable and even dangerous for people, leading to a decrease in park usage during heatwaves. The quality of green spaces and natural habitats may also be negatively affected by extreme heat, causing damage to vegetation and wildlife, and impacting the cultural and ecological value of Milwaukee County parks.

Emergency Services: Extreme heat events, which are expected to become more frequent and intense as temperatures rise, can have significant impacts on emergency services. For example, heat waves can cause an increase in emergency medical calls related to heat exhaustion and heat stroke. These calls can place a strain on emergency medical services, especially if there are multiple heat waves occurring in a short period of time. Additionally, first responders may also experience heat-related illnesses and fatigue, which can impact their ability to provide effective care. Vulnerable populations, such as the elderly and those with preexisting medical conditions, are particularly at risk during extreme heat events, and may require additional support from emergency services.

Additional social impacts associated with extreme temperatures and heat waves are identified in **Table 5**.

²⁶ Matzarakis, A., & Mayer, H. (1991). The extreme heat wave in Athens in July 1987 from the point of view of human biometeorology. *Atmospheric Environment. Part B. Urban Atmosphere*, 25(2), 203–211. [https://doi.org/10.1016/0957-1272\(91\)90055-J](https://doi.org/10.1016/0957-1272(91)90055-J)

²⁷ Klinenberg, E. (2015). *Heat Wave: A Social Autopsy of Disaster in Chicago* (W. a N. Preface, Ed.). University of Chicago Press. <https://press.uchicago.edu/ucp/books/book/chicago/H/bo20809880.html>

²⁸ *European heat wave of 2003* / *Britannica*. (n.d.). Retrieved May 23, 2023, from <https://www.britannica.com/event/European-heat-wave-of-2003>

Table 5. Social impacts associated with extreme temperatures and heat waves.

Social Impacts Extreme Temperatures & Heat Waves	
Health	<ul style="list-style-type: none"> • Hotter than average days can cause illness and death by compromising the body's ability to regulate temperature, inducing health complications • Prolonged exposure to extreme temperatures is associated with increased hospital admissions for cardiovascular, kidney, and respiratory disorders • Extreme heat increases the risk for those with mental health conditions
Mobility & Access	<ul style="list-style-type: none"> • During heat waves, people may avoid going outside or using public transportation due to the risk of heat-related illness • Extreme temperatures can disproportionately affect vulnerable populations with limited access to air conditioning, essential services, and poor transit infrastructure
Parks, Recreation, Arts, Cultural Resources	<ul style="list-style-type: none"> • Heat waves can make outdoor spaces uncomfortable or dangerous, reducing visitors to parks, zoos, and cultural events • Heat-induced harm to natural resources impacts the aesthetic and cultural value of parks, historic landscapes, and recreational areas
Housing, Education, Food Security	<ul style="list-style-type: none"> • Exacerbated indoor air quality issues, impacting residents' health • Disrupted classroom learning, reduced academic performance of students • Increased food spoilage and waste, particularly in regions already experiencing food insecurity
Public Safety	<ul style="list-style-type: none"> • Heat waves can overwhelm emergency services and disrupt critical infrastructure, exacerbating the impacts of extreme events on public safety • During heat waves, emergency responders face added physical stress and equipment operation challenges, compromising critical services like evacuations, rescues, and medical emergencies

Precipitation Impacts

Average and Seasonal Precipitation

Milwaukee County is expected to experience seasonal shifts in precipitation patterns, including dryer summers and wetter winters. Projected changes to average annual precipitation are small and positive, with seasonal changes mostly canceling out. Summer is historically the region's wet season, with the average summer month seeing about double the average winter month, although the difference is expected to shrink with a warming climate. Distribution of annual precipitation totals generally exhibits a north-south split, with the northern half of the county dryer than the southern half. This north-south pattern is mirrored in winter precipitation, however in the summer season proximity to the lake dominates, with more precipitation inland and less along the lakeshore. Projected changes to annual and seasonal precipitation do not significantly affect these patterns. **Tables 6, 7, and 8** show the current and projected changes to seasonal and annual precipitation across Milwaukee County through 2085.

Milwaukee County Projections

Average annual precipitation is projected to increase by single-digit percentages over the coming century. Mid-century projections are higher for the constrained emissions scenario than in the unconstrained emissions scenario, but by the end of the century, this pattern is reversed. **Table 6** shows expected changes in five locations across the county.

Table 6. Projected changes to average annual precipitation for select sites in Milwaukee County. Percent difference as compared to historical period (1985-2014).

Location	2020		2050		2085	
	RCP4.5	RCP8.5	RCP4.5	RCP8.5	RCP4.5	RCP8.5
Bayside	0.9%	2.7%	7.1%	3.1%	4.9%	5.8%
Greenfield	0.4%	2.5%	6.6%	2.5%	4.6%	5.8%
SE Oak Creek	0.4%	2.9%	6.7%	2.9%	5.0%	6.7%
Milwaukee (Mitchell Park)	0.4%	2.5%	6.7%	2.5%	4.6%	5.9%
Milwaukee (Timmerman)	0.4%	2.2%	6.5%	2.2%	3.9%	4.8%

While small, changes to average annual precipitation mask much larger projected changes in seasonal precipitation. In the future, Milwaukee will see a greater share of its annual precipitation during the winter season, and a smaller share during the summer season. **Tables 7 and 8** show these projected changes.

Table 7. Projected changes to summer season precipitation (June, July, and August) for select sites in Milwaukee County. Percent difference as compared to historical period (1985-2014).

Location	2020		2050		2085	
	RCP4.5	RCP8.5	RCP4.5	RCP8.5	RCP4.5	RCP8.5
Bayside	-5.8%	1.0%	-3.8%	-13.0%	-8.9%	-18.1%
Greenfield	-5.5%	1.0%	-4.5%	-12.9%	-8.4%	-17.7%
SE Oak Creek	-5.7%	1.4%	-4.4%	-13.5%	-8.1%	-17.2%
Milwaukee (Mitchell Park)	-5.9%	1.0%	-5.0%	-13.2%	-8.6%	-18.2%
Milwaukee (Timmerman)	-5.5%	1.0%	-3.9%	-12.4%	-8.8%	-17.9%

Table 8. Projected changes to winter season precipitation (December, January, February) for select sites in Milwaukee County. Percent difference as compared to historical period (1985-2014).

Location	2020		2050		2085	
	RCP4.5	RCP8.5	RCP4.5	RCP8.5	RCP4.5	RCP8.5
Bayside	5.0%	5.7%	13.6%	10.7%	13.6%	22.1%
Greenfield	4.6%	5.3%	12.5%	9.9%	13.2%	21.7%
SE Oak Creek	4.4%	5.1%	12.7%	10.1%	13.3%	21.5%
Milwaukee (Mitchell Park)	4.5%	5.2%	13.0%	9.7%	13.0%	21.4%
Milwaukee (Timmerman)	4.3%	5.8%	12.9%	10.1%	12.9%	20.9%




Figure 7. Historical and projected future average annual daily precipitation across Milwaukee County.

Infrastructure Vulnerabilities to Changes in Average Precipitation

Changes to annual and seasonal precipitation can have large but slow-moving implications for infrastructure systems and environments designed or adapted to historical conditions. Drier summers may increase the risks of drought, including associated harms to important urban ecosystems that Milwaukee County residents rely on such as the urban forest. And wetter winters will invariably be associated with larger volumes of snow, including associated management costs. While adaptation efforts typically focus on mitigating the effects of severe weather events like large storms and natural disasters like floods, slow drifts in climate averages are also relevant to long-term climate planning. Infrastructure and community impacts associated with drier summers and wetter winters are identified in Table 9.

Table 9. Infrastructure and community vulnerabilities associated with dryer summers and wetter winters.

		Dryer Summers	Wetter Winters
Transportation	Pedestrian & Human-powered transportation	<ul style="list-style-type: none"> • Greater discomfort walking and biking, decreasing human-powered transportation • Soil becomes more compact, impeding walking/cycling abilities 	<ul style="list-style-type: none"> • Accelerated road & trail surface degradation from potholes
	Transit	<ul style="list-style-type: none"> • Increased dust and debris on roads and tracks, causing transit delays 	<ul style="list-style-type: none"> • Wear and tear on rolling stock from potholes
	Roads & Bridges	<ul style="list-style-type: none"> • Intensified heat-related issues like pavement cracking & expansion 	<ul style="list-style-type: none"> • Accelerated asphalt & concrete wear and tear
	Rails	<ul style="list-style-type: none"> • Soil subsidence may cause tracks to shift or buckle 	<ul style="list-style-type: none"> • Accelerated concrete failure
	Airports	<ul style="list-style-type: none"> • Droughts may impact water availability for airport operations (firefighting, runway cleaning) 	<ul style="list-style-type: none"> • Accelerated asphalt & concrete wear and tear
Energy	Electricity	<ul style="list-style-type: none"> • Increased risk of ground movement from drier soil, potentially damaging power lines 	<ul style="list-style-type: none"> • Buildup on power lines can lead to outages
Water	Water supply systems	<ul style="list-style-type: none"> • Reduced availability of intake water • Pathogen growth • Extended mosquito season • Algal blooms/water quality 	<ul style="list-style-type: none"> • Increased risk of erosion and landslides, damaging water supply infrastructure • Increased runoff degrades water quality, impacting reliability of water systems
	Wastewater treatment & sewers	<ul style="list-style-type: none"> • Subsidence and pipe settlement caused by drier soil damages stability of sewer lines • Reduced dilution capacity of wastewater treatment plants 	<ul style="list-style-type: none"> • Higher stormwater flows for combined sewer systems • Heavy rain and snowmelt can cause sewer backups and overflows • Increased risk of sinkholes, damaging sewer infrastructure
Communications	Internet, Phone, wired services	<ul style="list-style-type: none"> • Ground movement from drier soil may damage underground fiber optic cables and other infrastructure 	<ul style="list-style-type: none"> • Heavy rain can cause damage to underground and aboveground infrastructure (cell towers, utility poles)
	Cellular & wireless	<ul style="list-style-type: none"> • Increased strain on power grids heightens the risk of outages disrupting wireless services 	<ul style="list-style-type: none"> • Ice buildup and heavy snowfall on equipment can cause service outages

Social Vulnerabilities to Changes in Average Precipitation

Changes in annual and seasonal precipitation can also have significant impacts on social vulnerabilities. Dryer summers can increase the risk of drought, which can have severe consequences for vulnerable communities who struggle with mobility and resource accessibility.²⁹ In addition, dryer summers can also have detrimental impacts on urban ecosystems, including the loss of green spaces and urban forests that provide important benefits to local communities. This can have adverse effects on the physical and mental health of residents, particularly those living in areas with limited access to green spaces.

²⁹ Filosa, G., Plovnick, A., Stahl, L., Miller, R., Pickrell, D. H., & John A. Volpe National Transportation Systems Center (U.S.). (2017). Vulnerability Assessment and Adaptation Framework, Third Edition (DOT-VNTSC-FHWA-18-04). <https://rosap.ntl.bts.gov/view/dot/36188>

On the other hand, wetter winters can result in larger volumes of snow, which can increase the cost and burden of snow removal and management for communities. This can have disproportionate impacts on low-income communities, who may have limited resources to deal with the increased costs. It is important to recognize that slow changes in climate patterns and averages can also have long-term impacts on vulnerable communities. Efforts to adapt to these changes should consider social vulnerabilities and their impacts on communities, in addition to infrastructure and environmental concerns. In addition to **Table 10** below, some community impacts associated with dryer summers and wetter winters include:

Health: In terms of health, dryer summers may increase cases of dehydration, heat exhaustion, and heat stroke, while wetter winters may lead to an increase in respiratory illnesses due to poor air quality from insufficient heating and ventilation systems.³⁰ Additionally, dryer summers may lead to an increased risk of waterborne illnesses due to lower water levels in lakes and rivers, while wetter winters may pose a risk of hypothermia, frostbite, and other cold-related injuries/illness.³¹

Mobility & Access: Transportation and essential services access may also be impacted by wetter winters and dryer summers. For example, dryer summers may result in increased traffic congestion and longer travel times due to road closures or diversions, as well as reduced transit reliability on hot days. Wetter winters may make roads icy and slippery, leading to increases in traffic accidents and commute times. Additionally, power plants may struggle to cool equipment during hot summers, resulting in outages that place strain on emergency services, while heavy snowfall during wetter winters can make it difficult for emergency vehicles to reach people in need, delaying critical care.

Parks & Recreation: Wetter winters and dryer summers may also impact parks, recreation, cultural resources, housing, and education. Drought conditions resulting from dryer summers may impact park wildlife, affecting recreation opportunities and biodiversity, as well as cultural practices relying on water sources, such as fishing and spiritual activity. Wetter winters may lead to increased erosion and sedimentation in natural areas, damaging habitats and reducing the aesthetic and ecological value of parks and green spaces. In terms of housing, reduced precipitation exacerbates existing housing challenges for vulnerable populations, while intensified winter conditions can cause disruptions to the food supply chain, impacting food security and nutrition. Overall, it is important to understand and prepare for the potential impacts of wetter winters and dryer summers to ensure the well-being of individuals and communities.

³⁰ US EPA, O. (2016, July 1). Climate Change Indicators: Heat-Related Deaths [Reports and Assessments].

<https://www.epa.gov/climate-indicators/climate-change-indicators-heat-related-deaths>

³¹ ³¹ Hypothermia | Winter Weather. (n.d.). Retrieved May 3, 2023, from

<https://www.cdc.gov/disasters/winter/staysafe/hypothermia.html>

Table 10. Social impacts associated with dryer summers and wetter winters.

Social Impacts	Dryer Summers ³²	Wetter Winters ³³
Health	<ul style="list-style-type: none"> • Increase in cases of dehydration, heat exhaustion, and heat stroke • Increased risk of waterborne illnesses due to lower water levels in lakes and rivers 	<ul style="list-style-type: none"> • Increased respiratory illnesses due to poor air quality from insufficient heating and ventilation systems • Risk of hypothermia, frostbite, and other cold-related injuries/illness
Mobility & Access	<ul style="list-style-type: none"> • Increased traffic congestion and longer travel times due to road closures or diversions • Reduced transit reliability on hot days 	<ul style="list-style-type: none"> • Roads may become icy and slippery, leading to increases in traffic accidents and commute times
Parks, Recreation, Arts, Cultural Resources	<ul style="list-style-type: none"> • Decreased availability of water for recreation • Lower water levels in lakes and rivers can impact cultural practices relying on water sources (fishing, spiritual activity, etc.) • Drought conditions impact park wildlife, affecting recreation opportunities and biodiversity 	<ul style="list-style-type: none"> • Increased erosion and sedimentation in natural areas, damaging habitats and reducing aesthetic and ecological value of parks and green spaces • Winter storms can damage park facilities such as trails, campgrounds, and visitor centers, reducing access to recreational activities
Housing, Education, Food Security	<ul style="list-style-type: none"> • Increased demand for water can lead to higher water bills, straining household finances • Reduced precipitation exacerbates existing housing challenges for vulnerable populations 	<ul style="list-style-type: none"> • Intensified winter conditions can cause disruptions to the food supply chain, impacting food security & nutrition
Public Safety	<ul style="list-style-type: none"> • Power plants may struggle to cool equipment, resulting in outages that place strain on emergency services 	<ul style="list-style-type: none"> • Heavy snowfall can make it difficult for emergency vehicles to reach people in need, delaying critical care

Extreme Precipitation Projections

Extreme precipitation events are periods of intense rainfall that can threaten a large variety of infrastructure systems and social sectors. Such events are made dangerous when they lead to excessive runoff, or when they exceed the carrying capacity of soils, natural waterways, and built infrastructure for handling water (also called hydraulic infrastructure).

Table 11. Projected changes to the intensity of a single-day extreme precipitation event, compared to historical period.

Location	2020		2050		2085	
	RCP4.5	RCP8.5	RCP4.5	RCP8.5	RCP4.5	RCP8.5
Bayside	-5.3%	1.0%	4.2%	1.6%	5.5%	9.5%
Greenfield	-5.5%	0.6%	5.1%	2.5%	6.4%	10.6%
SE Oak Creek	-6.2%	-0.8%	7.0%	3.7%	13.1%	16.3%
Milwaukee (Mitchell Park)	-3.2%	-2.0%	5.7%	1.5%	7.2%	11.6%
Milwaukee (Timmerman)	-3.1%	-0.7%	5.4%	2.1%	5.9%	9.2%

³² USGCRP. (n.d.). Climate Science Special Report (pp. 1–470). U.S. Global Change Research Program, Washington, DC. Retrieved May 3, 2023, from <https://science2017.globalchange.gov/>

³³ Flood Waters or Standing Waters | Water, Sanitation, & Hygiene-related Emergencies & Outbreaks | Healthy Water | CDC. (2022, November 30). <https://www.cdc.gov/healthywater/emergency/extreme-weather/floods-standingwater.html>

Infrastructure Vulnerabilities to Extreme Precipitation

Extreme precipitation events produce rainfall rates that exceed the carrying capacity of built hydraulic infrastructure and natural drainages. Resultant localized flooding and erosion is difficult to model but can create widespread damage and disruptions to built systems, often with extended, costly recovery periods. A wide variety of infrastructure systems are vulnerable to extreme precipitation impacts, and these are summarized in **Table 12**.

Extreme precipitation events are often linked to flooding, but not all extreme precipitation events, may cause riparian flooding (i.e., flooding of a stream or river channel). However in most cases, extreme precipitation can cause localized flooding that is extremely difficult to model independent of on-the-ground data collection from public works agencies. Localized flooding (also called nuisance flooding or ponding) can take the form of flooding of a local road, intersection, park, or even as little as a sidewalk or curb cut.

A significant, but often underappreciated threat to vulnerable populations from localized flooding is disruptions to transportation and mobility, especially for transit users and populations with limited mobility. Ponding on a single sidewalk or ADA curb cut can force people with limited mobility to take extensive diversions which may add delays or stress that's difficult to appreciate at a systemic level. Similarly, transit users are often affected by route diversions, delays, or suspensions that can disrupt mobility for sensitive populations living without access to vehicles or under the federal poverty line. While localized flooding does not necessarily correlate with riparian flooding, the most transit-dependent neighborhoods – those with the highest concentration of residents living without access to vehicles – are also concentrated around one of the key clusters of low-lying flood risks around the Menomonee River. For more information on the impacts of flooding across Milwaukee County, see section: **Riparian & Nuisance Flooding**.

Table 12. Infrastructure impacts associated with extreme precipitation,

Extreme Precipitation		
Transportation	Pedestrian & Human-powered transportation	<ul style="list-style-type: none"> • Heavy rainfall can erode soil and cause sinkholes, leading to the collapse of pedestrian infrastructure • Localized flooding of sidewalks and bike lanes may create unsafe travel conditions/encourage pedestrians to walk in roadways • Ponding can obstruct poorly-drained curb cuts, creating mobility barriers for people who use wheelchairs and other mobility challenges
	Transit	<ul style="list-style-type: none"> • Localized flooding and erosion can cause damage to trackbeds • Extreme precipitation and localized flooding can cause water infiltration in unprotected equipment boxes including power electronics, signaling equipment, and electromechanical systems • Reduced visibility for drivers, increasing risk of collisions involving transit vehicles • Delays and service disruptions for buses and trains
	Roads & Bridges	<ul style="list-style-type: none"> • Accelerated deterioration of road and bridge surfaces, increasing maintenance costs and reducing their lifespan • Increased risk of scour of bridge abutments and piers, culverts, and other road hydraulic infrastructure • Increased stopping distances on slick roads and impaired visibility heighten risk of collisions
	Rails	<ul style="list-style-type: none"> • Reduced visibility for train operators increases risk of rail incidents and collisions • Localized flooding can force rail operators to cancel service, disrupting supply chains and interrupting travel

		<ul style="list-style-type: none"> Localized erosion can damage or wash-out track beds, causing disruptions to service
	Airports	<ul style="list-style-type: none"> Damage to essential equipment and infrastructure (navigation systems, runways and taxis, baggage handling equipment) can lead to flight delays, cancellations, and costly repairs Thunderstorms can cause flight delays and cancellations due to risk of lightning strikes damaging planes and airport equipment
Energy	Electricity	<ul style="list-style-type: none"> Damage to transformers, substations, and other crucial components of energy grid due to heavy rainfall, water infiltration, and flooding Increasing frequency of extreme precipitation events can increase costs for maintaining and upgrading electricity infrastructure Damage to power lines may cause widespread outages and service disruptions
Water	Water supply systems	<ul style="list-style-type: none"> Debris, sediment, and pollutants may wash into water sources, leading to water quality concerns and increased treatment costs Increased precipitation may lead to overabundance of water in supply systems, overwhelming treatment facilities Increased precipitation can lead to greater debris and sediment buildup in reservoirs, diminishing their storage capacity
	Wastewater treatment & sewers	<ul style="list-style-type: none"> Changes in wastewater flows and treatments due to extreme precipitation can impact cost and reliability of wastewater treatment systems Aging wastewater infrastructure may be more susceptible to damage from extreme precipitation events, impeding wastewater management Increased runoff can overwhelm sewage systems, increasing public health risk and damaging homes and businesses, especially in areas with combined stormwater/wastewater sewer systems
Communications	Internet, Phone, wired services	<ul style="list-style-type: none"> Damage to underground conduit systems (like fiber optic cables) can cause service disruptions or outages High winds associated with extreme precipitation may cause trees and branches to fall, damaging aboveground infrastructure (telephone poles, transmission towers, etc.), causing outages
	Cellular & wireless	<ul style="list-style-type: none"> Flooded roads and power outages can prevent technicians from accessing and repairing cellular infrastructure, leading to prolonged outages Strong winds may cause towers to sway, leading to structural damage and service outages

Social Vulnerabilities to Extreme Precipitation

Extreme precipitation events have been found to have disproportionate impacts on vulnerable communities, with low-income communities and communities of color bearing the brunt of these consequences. These communities often face greater challenges in terms of infrastructure, resources, and social support systems due to long histories of inequity, which can amplify the impacts of extreme precipitation. The increased frequency and intensity of heavy rainfall events can lead to a range of adverse effects, including flash floods, property damage, and disruptions in essential services such as transportation, water, and electricity. Furthermore, inadequate urban infrastructure and limited access to resources can hinder the ability of these communities to effectively prepare for and recover from extreme precipitation events. Consequently, addressing the social vulnerabilities associated with extreme precipitation is crucial for building resilience and ensuring equitable outcomes in the face of climate change.

When Milwaukee County residents were asked about their personal experiences with extreme precipitation and severe weather in a survey, respondents most frequently mentioned transportation disruptions and property damage.

Respondents reported road closures, ruined vehicles, sewerage overflows, and repeatedly flooded basements during heavy rainfall events. They also shared experiences with downed trees, burst pipes from extreme cold, and power outages, which often resulted in increased costs for respondents, such as for replacing damaged infrastructure or food lost during a power outage.

Health: One of the primary health concerns associated with extreme precipitation is the increased risk of waterborne pathogens and diseases due to contaminated water sources and inadequate sanitation systems. During extreme precipitation events, stormwater runoff can overwhelm the capacity of wastewater systems, resulting in overflows. In parts of Milwaukee, the use of a combined sewer system means that such overflows can result in raw sewerage mixing with stormwater runoff and flowing into surface water bodies. These outflows carry significant risk of pathogens and are serious public health hazards. Additionally, ponding resulting from extreme precipitation can contribute to the spread of infectious diseases, as standing water provides a breeding ground for mosquitoes and other vectors.³⁴ The heightened moisture levels can also facilitate the growth of mold and fungi, which can trigger respiratory issues and allergies. Moreover, the mental health of communities may be affected, as prolonged periods of inclement weather and associated disruptions, such as damage to infrastructure and displacement, can lead to stress, anxiety, and emotional distress. To safeguard community health, it is crucial to implement strategies that enhance resilience to extreme precipitation events, including effective urban planning, improved green water infrastructure to reduce sewerage overflows into surface water, and public health measures to mitigate and manage the health risks associated with these events.

Housing: Low-income housing is often disproportionately located in flood-prone areas, which can have detrimental effects on the health of residents. Floods can lead to water damage and moisture accumulation, creating an ideal environment for mold growth. Exposure to mold can trigger respiratory problems, such as asthma and allergies, and exacerbate existing respiratory conditions. The presence of mold in homes can have long-term health consequences and contribute to chronic health issues among vulnerable populations. These housing conditions further emphasize the urgent need for equitable access to safe, healthy, and affordable housing for all individuals and communities, ensuring that everyone has the opportunity to live in environments that promote well-being and protect against environmental hazards.

Mobility & Access: Mobility and access also present equity and justice concerns during extreme precipitation events. Low-income communities and communities of color are often located in areas with limited access to public transportation, making it even more difficult to access essential services during and after extreme precipitation events. In addition, these communities may lack the resources and infrastructure necessary to prepare for and respond to flooding events, making them more vulnerable to the impacts of extreme precipitation. This highlights the



Figure 8. The City of Milwaukee maintains a large combined sewer system (purple), which can lead to sewerage mixing with stormwater runoff during extreme precipitation events. Source: Reflo 2023.

³⁴ Flood Waters or Standing Waters | Water, Sanitation, & Hygiene-related Emergencies & and Outbreaks | Healthy Water | CDC. (2022, November 30). <https://www.cdc.gov/healthywater/emergency/extreme-weather/floods-standingwater.html>

need for equitable and just investment in public transportation infrastructure, emergency management, and disaster preparedness planning in vulnerable communities.

Cultural Resources: Extreme precipitation can have significant impacts on the cultural and community resources that are essential to the social fabric of low-income communities and communities of color. Damage to community centers, parks, and cultural institutions can exacerbate existing social and economic inequalities, particularly if these resources are not equitably distributed across neighborhoods. In addition, flooding can damage historic buildings and monuments, further erasing the cultural heritage of marginalized communities.

Table 13. Social impacts associated with extreme precipitation.

Social Impacts	Extreme Precipitation ³⁵
Health ³⁶	<ul style="list-style-type: none"> • Overwhelmed stormwater infrastructure can lead to localized flooding and mixing of wastewater with stormwater in communities with combined sewer systems • Extreme precipitation can lead to an increase in waterborne diseases, such as cholera and salmonella, due to the contamination of water sources • Increased precipitation can also lead to an increase in mold growth, which can trigger respiratory problems such as asthma and allergies³⁷
Mobility & Access	<ul style="list-style-type: none"> • Flooding disrupts public transportation systems, preventing people from accessing essential services³⁸ • Heavy rainfall can cause stormwater runoff to overwhelm drainage systems and flood low-lying areas, possibly forcing home evacuations and restricting access to essential services
Parks, Recreation, Arts, Cultural Resources	<ul style="list-style-type: none"> • Extreme precipitation events can damage park infrastructure, including trails and buildings, making it difficult or unsafe for people to access those resources • Heavy rainfall can cause flooding in zoos, risking animal and habitat safety • Cultural institutions may have to cancel events, negatively impacting both institutions and local community • Heavy rainfall can destroy historic buildings and monuments which hold cultural value
Housing, Education, Food Security	<ul style="list-style-type: none"> • Damage to schools and educational institutions impacts community wellbeing and security • Infrastructure damage from heavy rainfall can limit access to grocery stores and other essential services, exacerbating food insecurity in affected areas
Public Safety	<ul style="list-style-type: none"> • Extreme precipitation events may cause emergency services to be stretched thin, making it more difficult for residents to receive emergency care and assistance • Power outages caused by extreme precipitation can disrupt emergency communication systems, impacting community access to critical emergency services

³⁵ US EPA, O. (2016, June 27). Climate Change Indicators: Heavy Precipitation [Reports and Assessments].

<https://www.epa.gov/climate-indicators/climate-change-indicators-heavy-precipitation>

³⁶ USGCRP. (2018). Fourth National Climate Assessment (pp. 1–470). U.S. Global Change Research Program, Washington, DC.

<https://nca2018.globalchange.govhttps://nca2018.globalchange.gov/chapter/14>

³⁷ Floodwater After a Disaster or Emergency | CDC. (2022, October 4). <https://www.cdc.gov/disasters/floods/floodsafety.html>

³⁸ Sturm, T. W., Garrow, L. A., Stoesser, T., Harris, T., & Georgia Institute of Technology. (2016). Implementation of an Improved Bridge Scour Prediction Procedure (FHWA-GA-RPXX). <https://rosap.nrl.bts.gov/view/dot/39808>

Storms and Extreme Weather Impacts

Convective storms – a category which includes thunder storms, tornadoes, and storm-related extreme precipitation such as hailstorms – represent an area of potential vulnerability, albeit without sufficient scientific confidence to make positive connections to climate change projections. For example, models suggest that the warmer conditions created by climate change should increase the likelihood and intensity of convective storm events, especially in the Midwest and Great Plains regions, however at present confidence in these projections is too low to identify these risks as vulnerabilities.³⁹ Similarly, while historical records suggest that convective storms have been increasing in intensity and frequency, these records are not complete and do not cover enough years of history to support a finding of a vulnerability.⁴⁰




Figure 9. Flooding on Lincoln Creek and Milwaukee River indicated by 100-year and 500-year flood zones.

Riparian & Nuisance Flooding

Floodplain maps rendered using FEMA FIRMs data identify 100-year and 500-year floodplains across Milwaukee County. Areas within the 100-year floodplain maintain a 1% annual risk of shallow flooding, with an average depth hanging from 1 to 3 feet. Regions within the 500-year floodplains stand a 0.2% annual chance of flooding. Milwaukee County generally sees very few hazards within 100-year floodplains, however there is a concentration of communities and important infrastructure facilities which are found across 500-year floodplains. A robust examination of these specific vulnerabilities can be found under **High Priority Vulnerability #2**, as well as in **Table 14**.

One key factor contributing to the increased occurrence of nuisance flooding is the expansion of impermeable surfaces in urban areas. Urbanization and the proliferation of impervious surfaces such as concrete and asphalt prevent rainwater from infiltrating into the ground, leading to increased surface runoff. As a result, rainfall is more

³⁹ NCA4 Ch. 2

⁴⁰ NCA4 Ch. 2

likely to accumulate in low-lying areas, causing ponding and inundation. The combination of urbanization and climate change-induced heavy rainfall amplifies the vulnerability of communities to small-scale flooding events.

A shifting hydrological cycle may alter patterns in precipitation levels and intensifying rainfall. In addition, warmer air can hold more moisture, leading to increased atmospheric water vapor content. This elevated moisture, coupled with changing atmospheric circulation patterns, contributes to more intense rainfall events. The increased volume of rainfall overwhelms drainage systems, especially in urban areas with limited capacity, leading to recurrent flooding.

Infrastructure Vulnerabilities to Riparian & Nuisance Flooding

Brief narrative descriptions for infrastructure system vulnerabilities and community vulnerabilities related to known flood hazards (using 100-year and 500-year flood zones from FEMA FIRMs) and erosional hazards. Table of illustrative flooding-specific impacts. Discussion of differential impacts in vulnerable communities.

Flooding can have significant impacts on County infrastructure, leading to various challenges and consequences for the County government and the community. From transportation networks and building structures to utility systems and ecological environments, the impacts of flooding are far-reaching. These challenges can disrupt travel, compromise the integrity of buildings, disrupt critical utility services, and disturb natural ecosystems. Some specific vulnerable infrastructures across Milwaukee County include:

Critical Facilities: Buildings in flood-prone areas are particularly vulnerable to the impacts of small-scale ponding and recurrent flooding.⁴¹ Water infiltration into basements and foundations can lead to structural damage, compromising the stability of the entire structure. Moisture intrusion can also result in mold growth, which poses health risks and requires costly remediation efforts. Additionally, flooding can damage electrical systems, posing safety hazards. The Menomonee River drainage 500-year floodplain encompasses many critical facilities which could be impacted, including parking enforcement facilities, fleet services/repair garages, park maintenance facilities, and the City deforestation building. There are a number of schools that fall into the 100- and 500-year floodplains as well: Thoreau Elementary School, College Park Elementary, Parkway Elementary School, Country Dale Elementary School, and Oak Creek East Middle School. For more details on critical facilities impacted by floods, see **High Priority Vulnerability #2**.

Transportation: Flooding can have significant impacts on transportation networks. It can cause road closures due to water accumulation, making certain routes impassable. Floodwaters can damage bridges and culverts, compromising their structural integrity and potentially rendering them unsafe for use. Railway tracks can also be affected, leading to disruptions in train services. The accumulation of water on roads reduces visibility and increases the risk of accidents. Across Milwaukee County, a number of public transit routes may be affected by both 100-year and 500-year floodplains including: Bus Routes 31, 76, and 88.

Utility Systems: Flooding can severely disrupt critical utility services. Water supply systems can be contaminated as floodwaters infiltrate water sources, leading to potential health hazards. Wastewater treatment plants and sewage systems can become overwhelmed by the excess water, causing backups and potential discharges of untreated sewage into the environment. Electrical infrastructure, such as power substations and transformers, can be damaged

⁴¹ Doocy, S., Daniels, A., Murray, S., & Kirsch, T. D. (2013). The Human Impact of Floods: A Historical Review of Events 1980-2009 and Systematic Literature Review. PLoS Currents, 5, ecurrents.dis.f4deb457904936b07c09daa98ee8171a. <https://doi.org/10.1371/currents.dis.f4deb457904936b07c09daa98ee8171a>

by flooding, resulting in service disruptions and extended power outages. Within the Menomonee River drainage in particular, the Potawatami Gas Plant lies among the 500-year floodplain.

Ecological Environments: Small-scale ponding and recurrent flooding have adverse effects on natural ecosystems. The prolonged presence of water can alter soil composition and nutrient availability, impacting the growth and survival of plants. Floods can disrupt habitats and displace wildlife, affecting their ability to find food and shelter. Aquatic ecosystems can experience changes in water quality, temperature, and oxygen levels, impacting the health of fish and other aquatic organisms. The National Wildlife Federation emphasizes the ecological impacts of flooding and stresses the importance of floodplain management in preserving biodiversity and maintaining healthy ecosystems.⁴² Milwaukee County sees a number of ecologies potentially affected by both 100-year and 500-year floodplains, including: Hart Park, Kletsch Park, Lincoln Park, Brown Deer Village Park.

Table 14. Infrastructure impacts associated with riparian and coastal flooding and erosion.

Riparian and Coastal Flooding		
Transportation	Pedestrian & Human-powered transportation	<ul style="list-style-type: none"> Coastal erosion may cause shorelines to collapse, risking safety of hikers and walkers High water levels can undermine the foundations of pedestrian bridges, making them unstable or unsafe for use Flooding may cause damage to pedestrian and bicycle paths, making them inaccessible and unsafe for use
	Transit	<ul style="list-style-type: none"> Flooding can damage infrastructure (tracks, tunnels) as well as equipment (signals, switches, communication equipment), causing delays and disrupting service Transit stations and hubs in flood-prone areas can be damaged/destroyed by extreme rainfall
	Roads & Bridges	<ul style="list-style-type: none"> Flooding can cause erosion and scouring around bridge supports and abutments, leading to structural failure of bridges & road and rail embankments Washed out roads and bridges may become impassable, disrupting travel and commerce Erosion can affect the integrity of road shoulders, guardrails, and culverts, compromising safety
	Rails	<ul style="list-style-type: none"> Floodwaters can weaken foundation of rail bridges and cause erosion around bridge piers, leading to rail bridge failures Flooding can cause debris to accumulate on tracks, obstructing the rail line and damaging trains Damaged rail facilities, equipment, and communication systems due to intensive floods can disrupt rail service, causing economic losses
	Airports	<ul style="list-style-type: none"> Storm surges and flood conditions may damage coastal navigation aids (beacons, buoys), impeding safe aircraft navigation Damage to airport terminals, runways, and taxiways prevent safe takeoffs and landings, disrupting services
Energy	Electricity	<ul style="list-style-type: none"> Floodwaters can damage electrical transformers and substations, leading to outages and service disruptions Soil erosion around electrical transmission towers may lead to instability and potential tower collapse Damage to underground electrical conduits may lead to costly repairs and service

⁴² Environmental Threats. (n.d.). National Wildlife Federation. Retrieved May 23, 2023, from <https://www.nwf.org/Home/Our-Work/Environmental-Threats>

		disruptions
Water	Water supply systems	<ul style="list-style-type: none"> • Erosion of stream banks may cause increases in turbidity, impeding water treatment abilities • Damaged water distribution systems (pipelines, pumps, etc.) due to flooding may cause service disruptions and possible water contamination • Infiltration of floodwater into underground water pipes may lead to contamination of the water supply
	Wastewater treatment & sewers	<ul style="list-style-type: none"> • Overflowing sewage systems lead to the release of untreated sewage into nearby waterways, causing public health risks • Wastewater treatment plants are often located in low-lying areas close to rivers/coastlines, making them more vulnerable to flooding and erosion damage • Erosion can damage sewage pipes, leading to leaks and breaks which release sewage into the environment
Communications	Internet, Phone, wired services	<ul style="list-style-type: none"> • Destabilized telephone poles due to soil erosion may disrupt services • Damaged telephone exchange buildings and switching centers may disrupt wired phone and internet services • Storm surges can damage underground utility vaults that house internet and phone cables, disrupting services
	Cellular & wireless	<ul style="list-style-type: none"> • Damage to cell towers, antennas, and related equipment located in flood-prone areas can disrupt cellular and wireless infrastructure & services • Power disruptions caused by intensive flooding and heavy rainfall can impact networks, potentially rendering backup generators inoperable • Erosion can lead to destabilization and collapse of cellular and wireless infrastructure in flood-prone areas (including cell towers)

Social Vulnerabilities to Riparian and Coastal Flooding

Riparian flooding can have significant consequences on social vulnerabilities and exacerbate existing disparities within communities. When asked about their extreme weather concerns, survey respondents reported road closures, damaged vehicles, sewage overflows, and flooded basements to be most impactful in their communities. When FEMA FIRMs floodplains are overlaid with SVI data, it is evident that there are four waterways (accompanied by relevant affected zip code areas) which may disproportionately impact vulnerable communities in the event of a flooding emergency: Wilson Park Creek (53221), Menomonee River (53214, 53208, 53233), Lincoln Creek (53218, 53209), and Milwaukee River (53209, 53204). These communities in particular face strenuous economic challenges in comparison to communities living in floodplains along the Lake Michigan shoreline, exacerbating the risks associated with extreme flooding and posing threats to community resilience. Flood risks can impact various aspects of community life outside of economic wellbeing, in:

Health: Riparian flooding can also have significant impacts on public health. Floodwaters can become contaminated with sewage and other hazardous materials, leading to waterborne illnesses such as diarrhea, cholera, and typhoid fever. In addition, flooding can increase the risk of vector-borne diseases such as West Nile virus, malaria, and dengue fever, as standing water provides a breeding ground for mosquitoes and other insects. Floods can also disrupt health services, making it difficult for individuals to access necessary medical care.

Public Safety: Public safety and emergency services can also be impacted by riparian flooding. Floods can damage critical infrastructure such as roads, bridges, and utilities, making it difficult for emergency responders to reach affected communities. Floods can also cause power outages, which can further disrupt emergency services. In

addition, flooding can lead to a higher demand for emergency services, such as search and rescue operations, evacuations, and medical care.

Housing: Floods can damage homes and other buildings, leading to displacement and homelessness. In addition, flooding can damage critical infrastructure such as water and sewage systems, making it difficult for individuals to access basic amenities such as clean water and sanitation. Vulnerable populations, such as low-income communities, are often disproportionately impacted by flooding and may struggle to recover from the damages.

Mobility & Access: Riparian flooding can impact transportation and essential services access in various ways. Floods can damage roads and bridges, making it difficult for individuals to access essential services such as grocery stores, medical facilities, and schools. In addition, floods can disrupt public transportation, making it difficult for individuals to reach work or school. Milwaukee County bus routes may be particularly susceptible to flooding in the following areas:

- Milwaukee River Drainage: North Port Washington Road (500-year)
- Lincoln Creek Drainage: West Villard Avenue (500-year), North 60th Street (500-year), West Hampton Avenue (500-year)
- Beaver Creek Drainage: North Green Bay Road (100- and 500-year), North 51st Street (500-year)
- Menomonee River: West State Street (100- and 500-year), South 35th Street (100-year)
- Root River Drainage: West Oklahoma Avenue (500-year)

Table 15. Social impacts associated with riparian and nuisance flooding.

Social Impacts	Riparian & Nuisance Flooding
Health	<ul style="list-style-type: none"> • Increased spread of waterborne diseases (cholera, typhoid fever, dysentery) which can cause diarrhea or dehydration • Exposure to flood waters and sewage can increase the risk of skin infections • Increased mold growth in homes, causing respiratory problems and illnesses • Psychological stress of dealing with repeated flooding events may lead to anxiety, depression, and other mental health challenges
Mobility & Access	<ul style="list-style-type: none"> • Damage to public transportation systems (buses, trains) impedes the ability to commute to work or school • Infrastructure damage can lead to increased traffic congestion and longer commute times, negatively impacting air quality and public health
Parks, Recreation, Arts, Cultural Resources	<ul style="list-style-type: none"> • Flooding damage to cultural resources can affect tourism, which may negatively impact the local economy • Closures of public facilities (libraries, community centers, museums) limits access to important community resources, impeding resilience of vulnerable communities • Loss of cultural heritage as archaeological sites, historic buildings, and natural cultural sights may be irreparably altered • Loss of wildlife habitats and ecosystems, which can have negative impacts on biodiversity and ecosystem services
Housing, Education, Food Security	<ul style="list-style-type: none"> • Increase in contaminated food and water sources may lead to food insecurity/malnutrition • Repetitive flooding may make it difficult for homeowners to obtain insurance, potentially leading to mortgage default or foreclosure • Damage to homes and properties can lead to costly repairs and diminished home value • Damage to schools and transit routes make it difficult for children to access education and school resources
Public Safety	<ul style="list-style-type: none"> • Closure of transportation infrastructure can affect emergency response times, making it harder for first responders to reach people in need • Significant risks of drowning, electrocution, and injuries from debris jeopardize community safety and strain emergency response systems • Swift-moving or contaminated floodwaters place first responders at risk when managing flood-related emergencies, slowing response times • Flooded roads and sidewalks can increase the risk of slip and fall accidents, which can lead to serious injury or death • Emergency vehicles may have difficulty navigating through affected areas, potentially delaying response times and putting lives at risk

Coastal Erosion

As the climate changes, coastal erosion poses and increasing threat to Milwaukee County. Intensifying storms and changing precipitation patterns can contribute to the acceleration of erosion processes along the Lake Michigan shoreline. These environmental shifts heighten the risk of land loss, shoreline retreat, and ultimately cause damage and disruptions to key County resources. Critical assets becoming more susceptible to erosion-induced hazards can jeopardize the safety, accessibility, and economic stability of the community.

Infrastructure Vulnerabilities to Coastal Erosion

As a coastal community along Lake Michigan, the County faces the ongoing threat of erosion-induced land loss, shoreline retreat, and the potential degradation of critical infrastructure assets. The combination of natural forces, such as wave action, storm surges, and changing weather patterns, exacerbates the vulnerability of infrastructure (including roads, bridges, ports, and utilities that are essential for transportation, commerce, and the well-being of the community). In addition to impacts detailed in **Table 16**, infrastructure hazards associated with coastal erosion include:

Coastal Protection Infrastructure: Coastal erosion poses a significant threat to coastal protection infrastructure, including seawalls, revetments, and breakwaters. Erosion can undermine the stability of these structures, leading to structural failure, reduced effectiveness in protecting coastal areas from erosion and flooding, and increased vulnerability to storm surges. Proper design, monitoring, and maintenance of coastal protection infrastructure are crucial to adapt to changing erosion patterns.

Transportation Infrastructure: Erosion-induced coastal retreat can result in the loss or relocation of coastal roads and highways, disrupt transportation networks, and limit access to coastal areas. In some cases, erosion can cause the undermining or collapse of road embankments due to the erosion of supporting soils. This highlights the need for regular monitoring, maintenance, and adaptive planning of coastal roads to mitigate erosion risks and ensure safe and reliable transportation routes.

Utilities Infrastructure: Coastal erosion may affect utilities infrastructure such as power transmission lines, water and wastewater pipelines, and communication networks. The integrity of underground utility lines can be compromised by erosion-induced coastal retreat, leading to disruptions in power supply, water services, and communication systems. Sustainable coastal planning, setback requirements, and adaptive practices can be essential in mitigating the impacts of erosion on utilities.

Coastal Development and Buildings: Coastal erosion poses risks to buildings and infrastructure in developed coastal areas, including residential, commercial, and tourist facilities. Coastal retreat can threaten the stability of buildings, leading to structural damage and potentially even collapse. It can also impact coastal development by reducing available land for construction and limiting expansion opportunities.

Coastal Recreation and Tourism Infrastructure: Erosion-induced loss of sandy beaches can diminish the attractiveness and recreational value of coastal areas, affecting tourism revenues and local economies. It can also disrupt recreational facilities, such as beachfront parks, marinas, and tourist accommodations. Proper beach nourishment, coastal management, and restoration strategies are important for preserving recreational and tourism infrastructure.

Table 16. Infrastructure impacts associated with coastal erosion.

Coastal Erosion		
Transportation	Pedestrian & Human-powered transportation	<ul style="list-style-type: none"> Land loss can limit pedestrian access to coastal properties and resources Lakebeds steepened by erosion allow waves to travel deeper into the coast and can throw debris onto trails utilized by pedestrians, cyclists, etc.
	Transit	<ul style="list-style-type: none"> Lakebeds steepened by erosion allow waves to travel deeper into the coast and can throw debris onto transit paths⁴³ Significant erosion caused by extreme weather can require evacuations that disrupt and strain transit systems
	Roads & Bridges	<ul style="list-style-type: none"> Increasing coastal property loss can lead to more damage to key structures including roads and bridges Lakebeds steepened by erosion allow waves to travel deeper into the coast and can throw debris onto roads, resulting in travel interruptions
	Rails	<ul style="list-style-type: none"> Coastal rail lines, especially those connecting to Port Milwaukee, may experience interrupted service due to high water levels that put infrastructure at further risk of erosion
	Airports	<ul style="list-style-type: none"> Erosion-induced coastal retreat can disrupt transportation networks, including those that rely on and are relied upon by airports
Energy	Electricity	<ul style="list-style-type: none"> Underground utility lines can be compromised by erosion-induced coastal retreat, leading to disruptions in power supply
Water	Water supply systems	<ul style="list-style-type: none"> Surface water quality can be negatively impacts by sediment displacement into coastal waters integrity of underground utility lines can be compromised by erosion-induced coastal retreat, leading to disruptions in power supply, water services, and communication systems Stormwater infrastructure is susceptible to damage as result of high water levels in the Lake which can flood an outfall and cause debris to enter stormwater infrastructure⁴⁴
	Wastewater treatment & sewers	<ul style="list-style-type: none"> Sewer mains in the Lake and other water bodies may become more exposed and vulnerable due to eroding coastlines
Communications	Internet, Phone, wired services	<ul style="list-style-type: none"> Integrity of underground utility lines can be compromised by erosion-induced coastal retreat, leading to disruptions in power supply and communication systems
	Cellular & wireless	<ul style="list-style-type: none"> Damage to above ground transmission infrastructure, such as radio masts or wireless towers, can disrupt service

Social Vulnerabilities to Coastal Erosion

Addressing the impacts of coastal erosion on community health and resources is essential in building a comprehensive approach to improving community resilience, developing adaptation strategies, and the preservation of natural and cultural assets. In addition to those outlined in **Table 17**, Some community-wide hazards associated with coastal erosion include:

⁴³ *WICCI 2021 Assessment Report.pdf / Powered by Box.* (2021). Retrieved May 24, 2023, from <https://uwmadison.app.box.com/s/lob4igia3b55u1q6kead7l91p14odoqu>.

⁴⁴ Bostrom, S., Nelson, A., et al. (2021). SOUTHEASTERN WISCONSIN REGIONAL PLANNING COMMISSION. <https://www.sewrpc.org/SEWRPCFiles/Publications/mr/mr-248-milw-co-coastline-mgmt-guide.pdf>.

Health: Erosion-induced loss of protective features, such as dunes and wetlands, can leave communities more vulnerable to the impacts of storms, including increased risk of flooding and property damage. Coastal erosion can also impact water quality and introduce pollutants into coastal ecosystems, potentially affecting human health through contaminated water sources and compromised fisheries. Strategies for managing the health impacts of coastal erosion include disaster preparedness, public health outreach, and water quality monitoring.

Transportation & Accessibility: Loss of land and damage to coastal roads and highways can disrupt transportation networks, limiting access to residential communities, economic centers, and essential services along the coast. This can result in increased travel distances, longer commute times, and challenges in accessing schools, healthcare facilities, and places of employment.

Parks & Recreation: Coastal erosion may impact community members' access to natural spaces and recreational activities. Loss of sandy beaches, coastal dunes, and vegetation can diminish the aesthetic appeal, recreational value, and biodiversity of coastal parks, reducing healthy opportunities for outdoor engagement.

Table 17. Infrastructure impacts associated with coastal erosion.

Social Impacts	Coastal Erosion
Health	<ul style="list-style-type: none"> • Loss of natural protective barriers increases vulnerability to storm surges & coastal flooding, posing risks to safety & health
Mobility & Access	<ul style="list-style-type: none"> • Damage or destruction of coastal roads, bridges, and other transit infrastructure limits access to coastal areas and hinders connectivity within communities • Reduced accessibility to coastal areas can have economic implications, impacting tourism, fisheries, and coastal-dependent industries that contribute to community livelihoods
Parks, Recreation, Arts, Cultural Resources	<ul style="list-style-type: none"> • Loss of coastal landscapes and iconic landmarks due to erosion can diminish the aesthetic value and sense of place, affecting community pride and cultural tourism • Damaged or eroded coastal parks and recreational infrastructure can reduce the availability and accessibility of amenities such as picnic areas, trails, and sports facilities. • Declining coastal biodiversity and ecosystem health due to erosion can affect recreational opportunities such as birdwatching, wildlife viewing, and fishing
Housing, Education, Food Security	<ul style="list-style-type: none"> • Erosion-induced coastal retreat can devalue coastal properties and impact housing markets, affecting homeowners' financial stability and investments • Increased vulnerability to storm surges and flooding can compromise the safety and habitability of coastal homes
Public Safety	<ul style="list-style-type: none"> • Coastal erosion can compromise public safety by undermining the stability of coastal infrastructure, which can lead to accidents and hazards • Erosion-related coastal retreat can limit access routes for first responders

Cascading Impacts: Grid Resilience

Milwaukee's primary climate concerns over the coming decades are increased heat waves and high temperatures and increased extreme precipitation and flooding. In addition to direct primary impacts, these events can cause cascading secondary and cross-cutting impacts across multiple sectors and communities.

Heat waves can quickly cause increased energy and electricity demand as residents and building owners try to cool their homes and businesses. Heat can also reduce capacity for electricity transmission lines; coupled with high demand, this can lead to outages and diminished capacity. Power outages in the electricity sector can have cascading impacts for other energy sectors, including fuel production, delivery, and consumption, as well as power plant safety. Power outages during peak demand can also result in heat-related health concerns for residents, especially vulnerable residents who cannot pay high energy costs or whose buildings do not have AC (public housing, older buildings, etc.). This can be compounded by the fact that vulnerable communities do not have the same access to adequate healthcare, transportation, or cooling centers.

Increased precipitation can cause increased wear on infrastructure over time, disrupting fuel delivery routes and resulting in delays and price increases. However, extreme precipitation and flooding will carry a high risk of disruptions in the energy sector, which can have far-reaching impacts into residents' lives. Flooding can result in the inundation of energy facilities, damage ports and fuel delivery networks, cause power outages that disrupt energy production and transmission, and damage critical roadways and infrastructure.

Interconnected Systems Impacts

Description of impacts related to disruptions to infrastructure services. This section will be shorter than others with no quantitative projections.

- Electrical disruptions
- Waste/water disruptions
- Telecommunications disruptions
- Transportation disruptions

Infrastructure and Social Vulnerabilities to Interconnected Systems Impacts

Table: Interconnected Systems Impacts

Identify how systems failures can cascade on themselves and can cause massive outcomes for what would normally be a minor impacts

-image of gas lines

Infrastructure & Community Vulnerabilities

Slightly longer narrative description of how interconnected impacts affect government, industry, businesses, and communities. Table of illustrative sector-specific impacts. Discussion of differential impacts in vulnerable communities.

- Table: Interconnected system impacts
 - Infrastructure
 - Communities
- Focus on social disruption resulting from power outages

Hurricane Sandy

In 2012, Hurricane Sandy caused widespread damage and disruptions across the Northeast, which carried cascading impacts for many weeks to come, in regions well beyond NY and NJ. Storm surge and high winds damaged power lines, substations, and distribution systems, while also shutting down ports and power plants across the Northeast. 8 million people in 21 states lost power, including residents as far west as Illinois and Tennessee. For some, the power outages lasted up to two weeks. The disruptions rippled through other sectors, causing interruptions in transportation networks, communication towers, wastewater treatment facilities, and healthcare services. Residents' lives and access to key services were upended, due mostly to large-scale disruptions to the power grid and the interconnected nature of the region's energy systems to all other sectors.

The key issue was that each of these sectors relied heavily on electricity and energy operations, which were ill-prepared to handle such widespread damage to their production and delivery networks. Power losses meant that fuel pumps couldn't operate, even when stocked with fuel. Electrical equipment failures affected fuel delivery to other areas, resulting in continued outages. In some cases, substantive effort was made to get fuel pumps and other power plants back online, only to be kept waiting by damaged ports or terminals. Several major tunnels into New York City flooded for the first time, causing substantial disruptions in fuel transportation and other crucial transportation for over two weeks. In the end, Hurricane Sandy exposed the region's deep vulnerability to interconnected damages from a major climate event, costing an estimated \$50 billion dollars and directly resulting in the deaths of nearly 150 people.

High Priority Vulnerabilities

Climate hazards present a complex challenge for local planners who wish to minimize the impact on their communities. This report utilizes a projection-informed Risk Based Prioritization Framework (RBPF) to analyze and prioritize the most important hazards facing Milwaukee County. The framework uses infrastructure and demographic data, climate change projections, and inferences gleaned from experiences in other communities across the country to rank individual factors contributing to climate vulnerability. The RBPF is intended to be flexible and inclusive, with each component of risk evaluation distributed to expert groups who individually rank risk factors before aggregating results to find average risk scores. This approach ensures that multiple perspectives are reflected in the final prioritization. The low-cost of the approach also allows it to be repeated in future evaluations to update prioritization schemes as new data and changing community responses develop.

Risk-Based Prioritization Framework

In order to rank the priority of identified vulnerabilities, a subjective scoring matrix is completed for the various components of climate risk. Risk is a composite of two concepts: probability and consequence. Probability reflects the likelihood of a climate hazard to result in an impact to a specific system (facility, site, asset, community, etc.), whereas consequence describes the cost if an impact affects the system (including costs resulting from damage and disruption, as well as non-monetized costs such as injury, death, emotional suffering, or loss of cultural heritage).

This report includes both subjective probability and subjective consequence scores. Probability scores are based on both quantitative and qualitative climate change projections and current population characteristics in Milwaukee County, but represent a hybrid metric based on expert judgement. Table provides illustrative examples of benchmark scores for probability. Consequence scores reflect the cost of a damaging event, as well as the extent and duration of disruption to systems. Unlike probability scores, consequence scores are generated using expert elicitation from Milwaukee County's Sustainability Task Force (STF) members. Table provides illustrative examples of consequence benchmarks.

Table 18. Illustrative examples of scoring benchmarks for Risk-Based Prioritization Framework probability scoring.

Subjective Probability Scoring Matrix: Illustrative Examples of Probability Benchmarks	
Geospatial Exposure	<p>-: Hazard is not relevant to this system</p> <p>0: No exposure</p> <p>1: Small areas of exposure or uncertain exposure</p> <p>2: Multiple small, discontinuous areas of exposure or moderate area</p> <p>3: Extensive areas of exposure central to system</p>
Frequency of Exposure	<p>-: Hazard is not relevant to this system</p> <p>0: Never</p> <p>1: 1-in-100 event (e.g., 100-year storm)</p> <p>2: More frequent than 1-in-100 (e.g., 100-year floodplain combined with increasing precipitation proj.)</p> <p>3: Much more frequent than 1-in-100 (e.g., explicit projections)</p>
Vulnerability of Exposed System	<p>-: Hazard is not relevant to this system</p> <p>0: No indication of increased vulnerability</p> <p>1: Exposure applies to all areas equally, or to a single site of increased vulnerability</p> <p>2: Exposure of multiple small areas of increased vulnerability or single large site</p> <p>3: Exposure of multiple sites of increased vulnerability</p>

Table 19. Illustrative examples of scoring benchmarks for Risk-Based Prioritization Framework consequence scoring.

Subjective Consequence Scoring Matrix: Illustrative Examples of Score Benchmarks

Cost of Damage	-: Hazard is not relevant to this system 0: No damage/marginal damage 1: Light damage; resulting in <10% of replacement cost 2: Heavy damage; resulting in less than full replacement cost 3: Total damage; costs equal to or greater than replacement
Cost of Disruption	-: Hazard is not relevant to this system 0: No disruption/marginal disruption 1: Small/low-cost disruption 2: Heavy disruption or moderate-cost disruption 3: Complete system disruption
Duration of Disruption	-: Hazard is not relevant to this system 0: No disruption 1: Brief disruption (<1 day) 2: Heavy disruption (<1 week) 3: Extended disruption (>1 week)

Vulnerability #1: Heat Waves and Human Health

Milwaukee County's exposure to extreme heat has historically been low relative to most of the rest of the United States, and the region's buildings and infrastructure reflect this history. The growing threat of climate change-driven extreme heat can affect many facets of life in Milwaukee County, but the most urgent concern is the acute threat to human health during severe heat waves, and specifically the risk of mass-casualty events due to acute heat stress.

Human health impacts are exacerbated by a number of coincident environmental factors, infrastructure factors, and existing vulnerabilities in Milwaukee County's communities. Heat stress is a cumulative risk, and populations exposed to multiple days of continuously hot, humid days will experience greater heat stress than those exposed to single extreme heat day. Especially taxing are periods with warm, humid nights which don't allow stressed bodies to rest overnight. When combined with contemporary UHI effects, projections for increases to extreme heat make these types of hazardous events much more likely in the future.

Exposed Infrastructure & Communities

While some geographic variation in projected heat wave temperature increases exists across the county, the most meaningful geographically-correlated contributing factors to vulnerability are infrastructure and social vulnerability factors that can either mitigate or intensify extreme heat hazards. Vulnerable infrastructure, including old buildings and lack of air conditioning can impair adaptive responses, and high concentrations of impermeable surfaces (including buildings, paved roads, and parking lots), and a deficit of tree canopy and open space intensify UHI (**FIGURE X**). In a recent study, UHI impacts in Milwaukee County were studied by the Wisconsin DNR and three key takeaways were identified.⁴⁵




Figure 10. Map showing real-world temperature differences across selected areas in Milwaukee on July 21 - 22, 2022. Afternoon temperatures shown (3-4pm). Data produced by WI DNR as part of a UHI mapping exercise.

⁴⁵ Wisconsin Department of Natural Resources (DNR). 2022. "Milwaukee Wisconsin Heat Watch Report." Madison, WI: Wisconsin Department of Natural Resources. Summer. https://dnr.wisconsin.gov/sites/default/files/topic/UrbanForests/summaryReport_heatWatchMilwaukee.pdf.

- Neighborhoods with high percent tree canopy retain less heat throughout the day
- Parks create spillover cooling effect for some surrounding blocks
- Large paved areas such as commercial districts can create spillover hot spots

Social vulnerability factors including poverty, disability, and age are correlated with worse outcomes during extreme heat events. Additionally, neighborhoods with diverse lived experiences and access to resources, such as those who speak languages other than English or areas with low concentration of vehicle ownership, can impair the effectiveness of adaptive responses like emergency cooling centers. For example, if residents cannot access cooling centers, or aren't sufficiently notified about heat risks using appropriate translations, protective actions may not be taken that otherwise could have. Unfortunately, many indicators of social vulnerability are compounded in the County's urban core, alongside the most intense UHI effects and the least resilient infrastructure (**Figure 9**).




Figure 9. Three indicators of social vulnerability to heat waves show several concentrations of exposure within the inner urban neighborhoods that also experience the greatest UHI impacts. Neighborhoods in central, north, and south Milwaukee City show some of the highest concentrations of exposure. Source: CDC. 2022

Risk Ranking

Subjective Probability Score Matrix – Heat Waves & Human Health

Table 20. Subjective Probability Score Matrix - Heat Waves & Human Health. See scoring guidelines for benchmarking.

	2020	2050	2085
Best-Case Scenario (RCP 4.5)	2	2	3
Worst-Case Scenario (RCP 8.5)		3	3

Subjective Consequence Score Matrix – Heat Waves & Human Health

Table 21. Subjective Consequence Score Matrix - Heat Waves & Human Health. See scoring guidelines for benchmarking.

	2020	2050	2085
Best-Case Scenario (RCP 4.5)	-	-	-
Worst-Case Scenario (RCP 8.5)	-	-	-

Vulnerability #2: Flooding in Menomonee River, Milwaukee River, Beaver Creek, and Lincoln Creek Corridors

A concentration of infrastructure, communities, and important facilities within the 100-year and expected 500-year floodplains. With projected increases to extreme precipitation events, Milwaukee County's exposure to riparian flooding must be evaluated accounting for future weather conditions rather than backward-looking historical data.

Major flood hazards in Milwaukee County are concentrated in four key watersheds: the Menomonee and Milwaukee Rivers and Beaver and Lincoln Creeks. While most of the severe high-priority flood hazard areas are indicated in the FEMA FIRM Zone X (i.e., 500-year floodplain, or areas with a 0.2% annual risk of flooding), these probabilities are based on historical precipitation and runoff. Concerningly, several high-priority flood risks are indicated within the FEMA FIRM Zone A or AE (i.e., 100-year floodplain, or areas with 1% annual risk of flooding), which are much more likely to flood during an extreme precipitation event. Additional flooding hazards can be found in **Table 20**.

Table 22. Vulnerable facilities, sites, systems, and communities subject to 100-year and 500-year flood hazards in the Menomonee and Milwaukee River and Beaver and Lincoln Creek watersheds.

Watershed	Vulnerable Sites	
Menomonee River	100-yr	<ul style="list-style-type: none"> • Park – Hart Park • Transit – Route 31 Bus (High SVI for NoVEH)
	500-yr	<ul style="list-style-type: none"> • Critical Facilities: Parking enforcement, fleet services/repair garage, park maintenance facilities, city forestry division building • Healthcare: Senior living facility • Energy: Potawatami Gas Plant • Transportation: Muskego Rail Yard, Watertown Subdivision rail • Industry: Miller Coors facilities and various other commercial and industrial sites • Piggsville residential neighborhood, State St. industrial/commercial corridor
Milwaukee River	100-yr	<ul style="list-style-type: none"> • Parks: Kletsch Park, Lincoln Park
	500-yr	<ul style="list-style-type: none"> • Residential neighborhoods in Glendale and River Hills
Beaver Creek	100-yr	<ul style="list-style-type: none"> • Parks: Brown Deer Village Park
	500-yr	<ul style="list-style-type: none"> • Critical Facilities: Brown Deer Village Hall • Transit: Bus Routes 76 and 88 • Residential neighborhoods in Brown Deer, especially around Highway 57 and W. Joleno Drive • Commercial districts in Brown Deer around N 51st St., Highway 57, and W Schroeder Dr.
Lincoln Creek	100-yr	<ul style="list-style-type: none"> • N/A
	500-yr	<ul style="list-style-type: none"> • Critical facilities: Ascension Family Health Center • Residential neighborhoods including West Villard Avenue, Harriet Tubman Park, 60th St and Custer, West Mills Rd. Crossing



Figure 10. Flooding along West State Street corridor, indicated by 100-year and 500-year flood zones.



Figure 11. Flooding in Piggsville neighborhood, indicated by 500-year flood zone.

This map shows the Harriet Tubman Park area in Baltimore, Maryland. The park is a large green space with several smaller green areas and water features. The map includes labels for streets such as West Street, North Street, and West Baltimore Avenue. It also shows the locations of Harriet Tubman Park and Harriett Park. The map is a detailed street map with a color-coded system for different types of land use and infrastructure.

Page 47 of 60




Figure 14. Flooding on Lincoln Creek and Milwaukee River indicated by 100-year and 500-year flood zones.



Figure 15. Flooding in Brown Deer indicated as 100-year and 500-year flood zones.

Risk Ranking

Subjective Probability Score Matrix – Riparian Flooding

Table 23. Subjective Probability Score Matrix – Riparian Flooding. See scoring guidelines for benchmarking.

	2020	2050	2085
Best-Case Scenario (RCP 4.5)	0	1	2
Worst-Case Scenario (RCP 8.5)		0	2

Subjective Consequence Score Matrix – Riparian Flooding

Table 24. Subjective Consequence Score Matrix – Riparian Flooding. See scoring guidelines for benchmarking.

	2020	2050	2085
Best-Case Scenario (RCP 4.5)	-	-	-
Worst-Case Scenario (RCP 8.5)		-	-

Vulnerability #3: Acute Air Quality Hazards

Acute air quality impairment can be a serious hazard, especially for vulnerable populations. Climate change is increasing the risk of acute air quality hazards by increasing the frequency of conditions that can create dangerous air quality days. The greatest air quality hazard is ground-level ozone, with the Midwest-region expected to experience significant increases in annual premature deaths from ozone exposure.⁴⁶ Additionally, longer growing seasons and the northward expansion in range of many types of plants and pests increases the risks of allergen exposure, which can exacerbate underlying health conditions.

While ozone concentrations are affected by both day-to-day changes in weather as well as shifts in sources of pollution like the number of vehicles on the road and the operation of stationary combustion boilers and industrial facilities, the primary driver of increased exposure is increased heat and increased frequency of sunny days. Thus without predicting specific occurrences, the correlation of impaired air quality with additional hot, sunny days is expected to enhance this risk.

Milwaukee County's most vulnerable populations (including residents living with disabilities and residents under the federal poverty line) are concentrated in neighborhoods that experience the greatest UHI-driven increases in local temperature. These are neighborhoods with the least access to open space, least tree canopy, and highest concentrations of impermeable surfaces). Thus the exposure is correlated with two major indicators of vulnerability (another vulnerable group – residents 65 years of age or older – is not as strongly correlated with the most UHI impacted neighborhoods, however many elderly residents reside in these neighborhoods). A further indicator of vulnerability is proximity to major sources of vehicle-borne pollution, such as highways and interstates. For example, some of the County's highest concentrations of poverty are in neighborhoods bound on two sides by Interstates 43 and 94/794, and on a third side by US-18/WI-57/West Highland Blvd.

OPTIONAL IF SOMEONE CAN DO THE RESEARCH: Milwaukee County experienced X 'bad air quality days' in 2022...

Risk Ranking

Subjective Probability Score Matrix – Acute Air Quality Hazards

Table 25. Subjective Probability Score Matrix – Acute Air Quality Hazards. See scoring guidelines for benchmarking.

	2020	2050	2085
Best-Case Scenario (RCP 4.5)	1	2	2
Worst-Case Scenario (RCP 8.5)		2	3

Subjective Consequence Score Matrix – Acute Air Quality Hazards

Table 26. Subjective Consequence Score Matrix – Acute Air Quality Hazards. See scoring guidelines for benchmarking.

	2020	2050	2085
Best-Case Scenario (RCP 4.5)	-	-	-
Worst-Case Scenario (RCP 8.5)		-	-

- Vulnerability

⁴⁶ CIRA Report

- Milwaukee County has many sensitive populations that are especially vulnerable to declining air quality, including
 - Seniors
 - Disabled
 - ...
- Responses should focus on reducing the local sources of air pollution, including
 - Vehicles
 - Boilers
 - Industrial sites

Vulnerability #4: Power Outages & Cascading System Failures

Milwaukee County's exposure to a power outage that results in cascading system failures.

Vulnerability #5: Economic & Social Impacts of Hotter Summers

Accelerating

- Effect on already low-income communities
- Lost labor
- Lost tourism/outdoor recreation
- Costs of maintenance
- Accelerated depreciation of infrastructure and rolling stock

References

Boosting Pavement Resilience / FHWA. (n.d.). Retrieved May 3, 2023, from <https://highways.dot.gov/public-roads/autumn-2018/boosting-pavement-resilience>

Bostrom, S., Nelson, A., et al. (2021). SOUTHEASTERN WISCONSIN REGIONAL PLANNING COMMISSION. <https://www.sewrpc.org/SEWRPCFiles/Publications/mr/mr-248-milw-co-coastline-mgmt-guide.pdf>.

Clarke, L., Wei, Y.-M., Navarro, A. de la V., Garg, A., Hahmann, A. N., Khennas, S., Azevedo, I. M. L., Löschel, A., Singh, A. K., Steg, L., Strbac, G., Wada, K., Ameli, H., de La Beaumelle, N. A., Bistline, J., Byers, E., Calvin, K., Chawla, K., Cui, Y. (Ryna), ... Veldstra, J. (2022). Energy Systems. *Climate Change 2022: Mitigation of Climate Change. Working Group III Contribution to the IPCC Sixth Assessment Report*, 613–746. <https://doi.org/10.1017/9781009157926.008>

Climate Effects on Health / CDC. (2022, May 3). <https://www.cdc.gov/climateandhealth/effects/default.htm>

Climate_health_equity.pdf. (n.d.). Retrieved May 3, 2023, from https://www.apha.org/-/media/files/pdf/topics/climate/climate_health_equity.ashx

Doocy, S., Daniels, A., Murray, S., & Kirsch, T. D. (2013). The Human Impact of Floods: A Historical Review of Events 1980-2009 and Systematic Literature Review. *PLoS Currents*, 5, ecurrents.dis.f4deb457904936b07c09daa98ee8171a. <https://doi.org/10.1371/currents.dis.f4deb457904936b07c09daa98ee8171a>

DP04: SELECTED HOUSING CHARACTERISTICS - Census Bureau Table. (n.d.). Retrieved May 24, 2023, from https://data.census.gov/table?q=040XX00US55_050XX00US55079&tid=ACSDP5Y2021.DP04

Duchesne, L., & Houle, D. (2014). Interannual and spatial variability of maple syrup yield as related to climatic factors. *PeerJ*, 2, e428. <https://doi.org/10.7717/peerj.428>.

Environmental Threats. (n.d.). National Wildlife Federation. Retrieved May 23, 2023, from <https://www.nwf.org/Home/Our-Work/Environmental-Threats>

European heat wave of 2003 / Britannica. (n.d.). Retrieved May 23, 2023, from <https://www.britannica.com/event/European-heat-wave-of-2003>

Extreme Heat / CISA. (n.d.). Retrieved May 3, 2023, from <https://www.cisa.gov/topics/critical-infrastructure-security-and-resilience/extreme-weather-and-climate-change/extreme-heat>

Filosa, G., Plovnick, A., Stahl, L., Miller, R., Pickrell, D. H., & John A. Volpe National Transportation Systems Center (U.S.). (2017). *Vulnerability Assessment and Adaptation Framework, Third Edition* (DOT-VNTSC-FHWA-18-04). <https://rosap.nhtl.bts.gov/view/dot/36188>

Flood Waters or Standing Waters / Water, Sanitation, & Hygiene-related Emergencies & and Outbreaks / Healthy Water / CDC. (2022, November 30). <https://www.cdc.gov/healthywater/emergency/extreme-weather/floods-standingwater.html>

Floodwater After a Disaster or Emergency / CDC. (2022, October 4). <https://www.cdc.gov/disasters/floods/floodsafety.html>

Fouillet, A., Rey, G., Laurent, F., Pavillon, G., Bellec, S., Guihenneuc-Jouyaux, C., Clavel, J., Jouglu, E., & Hémon, D. (2006). Excess mortality related to the August 2003 heat wave in France. *International Archives of Occupational and Environmental Health*, 80(1), 16–24. <https://doi.org/10.1007/s00420-006-0089-4>

Gregory, J. & Azarijafari. (n.d.). Urban Heat Islands. MIT Climate Portal. Retrieved May 24, 2023, from <https://climate.mit.edu/explainers/urban-heat-islands>.

Han, Y., Chen, C., Peng, Z.-R., & Mozumder, P. (2022). Evaluating impacts of coastal flooding on the transportation system using an activity-based travel demand model: A case study in Miami-Dade County, FL. *Transportation*, 49(1), 163–184. <https://doi.org/10.1007/s11116-021-10172-w>

Hypothermia/Winter Weather. (n.d.). Retrieved May 3, 2023, from <https://www.cdc.gov/disasters/winter/staysafe/hypothermia.html>

Klinenberg, E. (2015). *Heat Wave: A Social Autopsy of Disaster in Chicago* (W. a N. Preface, Ed.). University of Chicago Press. <https://press.uchicago.edu/ucp/books/book/chicago/H/bo20809880.html>

Lynch, M. J., Stretesky, P. B., Long, M. A., & Barrett, K. L. (2022). The Climate Change-Temperature-Crime Hypothesis: Evidence from a Sample of 15 Large US Cities, 2002 to 2015. *International Journal of Offender Therapy and Comparative Criminology*, 66(4), 430–450. <https://doi.org/10.1177/0306624X20969934>

Matzarakis, A., & Mayer, H. (1991). The extreme heat wave in Athens in July 1987 from the point of view of human biometeorology. *Atmospheric Environment. Part B. Urban Atmosphere*, 25(2), 203–211. [https://doi.org/10.1016/0957-1272\(91\)90055-J](https://doi.org/10.1016/0957-1272(91)90055-J)

McLeman, R. A., Dupre, J., Berrang Ford, L., Ford, J., Gajewski, K., & Marchildon, G. (2014). What we learned from the Dust Bowl: Lessons in science, policy, and adaptation. *Population and Environment*, 35(4), 417–440. <https://doi.org/10.1007/s11111-013-0190-z>

Milwaukee. (n.d.). Retrieved May 3, 2023, from <https://www.lung.org/research/sota/city-rankings/states/wisconsin/milwaukee>

MMSD Sewer Areas Web Map. (n.d.). Reflo. Retrieved May 23, 2023, from <https://refloh2o.com/mmsd-sewer-areas-web-map>

NIHHIS. (n.d.). *Urban Heat Islands*. Retrieved May 24, 2023, from <https://www.heat.gov/pages/urban-heat-islands>

Petersen, L. R., Holcomb, K., & Beard, C. B. (2022). *Climate change and vector-borne disease in North America and Europe*. <https://doi.org/10.25646/10393>

Sesana, E., Gagnon, A. S., Ciantelli, C., Cassar, J., & Hughes, J. J. (2021). Climate change impacts on cultural heritage: A literature review. *WIREs Climate Change*, 12(4), e710. <https://doi.org/10.1002/wcc.710>

Singh, D., & Rogers, C. (2022). *Assessing the risk of temperature extremes across North America's energy grid regions and associated renewable energy potential*. 2022, NH53A-06. <https://ui.adsabs.harvard.edu/abs/2022AGUFMNH53A..06S>

Sorensen, C. J., Salas, R. N., Rublee, C., Hill, K., Bartlett, E. S., Charlton, P., Dymond, C., Fockele, C., Harper, R., Barot, S., Calvellido-Hynes, E., Hess, J., & Lemery, J. (2020). Clinical Implications of Climate Change on US Emergency

Medicine: Challenges and Opportunities. *Annals of Emergency Medicine*, 76(2), 168–178.

<https://doi.org/10.1016/j.annemergmed.2020.03.010>

Sturm, T. W., Garrow, L. A., Stoesser, T., Harris, T., & Georgia Institute of Technology. (2016). *Implementation of an Improved Bridge Scour Prediction Procedure* (FHWA-GA-RPXX). <https://rosap.nrl.bts.gov/view/dot/39808>

US EPA, O. (2015, October 1). Reduce Urban Heat Island Effect [Overviews and Factsheets].

<https://www.epa.gov/green-infrastructure/reduce-urban-heat-island-effect>.

US EPA, O. (2016a, May 10). *Climate Impacts on Water Utilities* [Overviews and Factsheets].

<https://www.epa.gov/arc-x/climate-impacts-water-utilities>

US EPA, O. (2016b, June 27). *Climate Change Indicators: Heavy Precipitation* [Reports and Assessments].

<https://www.epa.gov/climate-indicators/climate-change-indicators-heavy-precipitation>

US EPA, O. (2016c, July 1). *Climate Change Indicators: Heat-Related Deaths* [Reports and Assessments].

<https://www.epa.gov/climate-indicators/climate-change-indicators-heat-related-deaths>

US EPA, O. (2021, March 24). *Multi-Model Framework for Quantitative Sectoral Impacts Analysis*. [Reports and Assessments]. <https://www.epa.gov/cira/multi-model-framework-quantitative-sectoral-impacts-analysis>

USGCRP. (n.d.). *Climate Science Special Report* (pp. 1–470). U.S. Global Change Research Program, Washington, DC.

Retrieved May 3, 2023, from <https://science2017.globalchange.gov/>

USGCRP. (2016). *The Impacts of Climate Change on Human Health in the United States: A Scientific Assessment* (pp. 1–312). U.S. Global Change Research Program, Washington, DC.

<https://health2016.globalchange.gov/executive-summary.html>

USGCRP. (2018). *Fourth National Climate Assessment* (pp. 1–470). U.S. Global Change Research Program, Washington, DC.

<https://nca2018.globalchange.gov/><https://nca2018.globalchange.gov/chapter/14>

Water—Climate Action Pathway / UNFCCC. (2021). <https://unfccc.int/climate-action/marrakech-partnership/reporting-tracking/pathways/water-climate-action-pathway#Climate-Action-Pathway-2021>

WI DNR. (2023). *DNR Shares Results From Summer 2022 Milwaukee Heat Mapping Campaign*. Wisconsin DNR.

Retrieved May 24, 2023, from <https://dnr.wisconsin.gov/newsroom/release/66256>.

WICCI 2021 Assessment Report.pdf / Powered by Box. (2021). Retrieved May 24, 2023, from

<https://uwmadison.app.box.com/s/lob4igja3b55u1q6kead7l91p14odoqu>.

Wisconsin. (n.d.). National Low Income Housing Coalition. Retrieved May 3, 2023, from <https://nlihc.org/housing-needs-by-state/wisconsin>

Wisconsin Public Service Commission (PSC). (2021). *Wisconsin Peak Period Analysis*.

http://archive.focusonenergy.com/sites/default/files/inline-files/Potential_Study-Research-Peak_Period.pdf.

Appendix A: Climate Hazard Projections




Figure 16. Historical and projected future average annual daily high temperatures across Milwaukee County.




Figure 17. Historical and projected future daily average annual summer high temperatures across Milwaukee County.




Figure 18. Historical and projected future daily high average winter temperatures across Milwaukee County.




Figure 19. Historical and projected future average heat wave temperatures across Milwaukee County.




Figure 20. Historical and projected future average annual daily precipitation across Milwaukee County.




Figure 21. Historical and projected future average daily annual summer precipitation across Milwaukee County.




Figure 22. Historical and projected future average daily winter precipitation across Milwaukee County.




Figure 23. Historical and projected future average daily wet season precipitation across Milwaukee County.

Appendix B: SVI and Temperature Projections




Figure 24. SVI overlaid with historical and projected future average annual daily high temperatures across Milwaukee County.




Figure 25. SVI overlaid with historical and projected future average annual daily summer high temperatures across Milwaukee County.




Figure 26. SVI overlaid with historical and projected future average annual heat wave temperatures across Milwaukee County.