

1  
2  
3 From the Director, Architecture, Engineering, and Environmental Services Section,  
4 Facilities Management Division, Department of Administrative Services, requesting  
5 approval of the required 2017 Compliance Maintenance Annual Report for Milwaukee  
6 County's wastewater collection system under Wisconsin State Statute NR 208, by  
7 recommending adoption of the following:

8  
9 **A RESOLUTION**

10  
11 WHEREAS, it is a requirement under a Wisconsin Pollutant Discharge  
12 Elimination System permit issued by the Wisconsin Department of Natural Resources  
13 (DNR) to file a Compliance Maintenance Annual Report (CMAR) for Milwaukee  
14 County's (the County) wastewater collection system under Wisconsin State Statute NR  
15 208; and

16  
17 WHEREAS, the County has an extensive system of sanitary sewers serving its  
18 many parks, buildings, and other facilities; and

19  
20 WHEREAS, the County is operating under a stipulated agreement with the DNR  
21 and State Attorney General's Office to cure problems cited in Claim WI-0047341-03;  
22 and

23  
24 WHEREAS, it is necessary for the County to acknowledge that its governing  
25 body has reviewed its annual CMAR; and

26  
27 WHEREAS, the Committee on Transportation, Public Works, and Transit, at its  
28 meeting of July 11, 2018, recommended adoption of File No. 18-535 (vote 5-0); now,  
29 therefore,

30  
31 BE IT RESOLVED, the Milwaukee County Board of Supervisors acknowledges  
32 the following Capacity Management, Operation, and Maintenance (CMOM) Program  
33 goals identified in the 2017 Compliance Maintenance Annual Report:

- 34  
35 1. Comply with the conditions of the Wisconsin Pollutant Discharge Elimination  
36 System (WPDES) permit  
37 2. Minimize the occurrence of preventable overflows  
38 3. Ensure proper operation and maintenance is performed on Milwaukee County  
39 sewer collection system assets  
40 4. Improve or maintain system reliability  
41 5. Reduce the potential threat to human health from sewer overflows  
42 6. Provide adequate capacity to convey peak flow  
43 7. Manage infiltration and inflow  
44 8. Protect collection system worker health and safety  
45 9. Operate a continuous CMOM Program  
46

47

48 kae

49 07/11/18

50 s:\committees\2018\jul\tpwt\resolutions\18-535 cmar.docx